

**SECTION1. Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product code : B/W SVILUPPO PIROCATECHINA PARTE B - NUCLEOL BF 200  
Trades code : B/W PIROBEL B

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Photographic Process

Sectors of use:

Professional use[SU22]

Product category:

Photochemicals

Process categories:

Mixing or blending in batch processes for formulation of preparations\* and articles (multistage and/or significant contact)[PROC5]

Uses advised against

Do not use for purposes other than those listed

**1.3. Details of the supplier of the safety data sheet**

BELLINI FOTO S.r.l.  
VIA FERRIERA, 68 - 06089 - TORGIANO - PERUGIA  
ITALY  
Tel +39 075 985 174 Fax +39 075 985 288

E-mail:info@bellinifoto.it - Web: www.bellinifoto.it  
E-mail technical assistance: enrico.pompili@bellinifoto.it

Produced by  
BELLINI FOTO S.r.L.  
Via Ferriera, 68 06089 TORGIANO - PG - ITALY Tel. +39 075 985174

**1.4. Emergency telephone number**

Bellini Foto S.r.l. (PG) - Tel . +39 075 985 174

**SECTION2. Hazards identification**

**2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07

Hazard Class and Category Code(s):

Skin Irrit. 2, Eye Irrit. 2

Hazard statement Code(s):

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema

**2.2. Label elements**

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS07 - Warning

Hazard statement Code(s):

H315 - Causes skin irritation.



H319 - Causes serious eye irritation.  
Supplemental Hazard statement Code(s):  
not applicable  
Precautionary statements:  
Prevention  
P280 - Wear protective gloves protective clothing eye protection face protection.  
Response  
P337+P313 - If eye irritation persists: Get medical advice attention.

**2.3. Other hazards**

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII  
No information on other hazards

**SECTION3. Composition/information on ingredients****3.1 Substances**

Irrilevant

**3.2 Mixtures**

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
Potassium Carbonate an.	> 10 <= 20%	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	ND	584-08-7	209-529-3	01-2119532 646-36-001 0

**SECTION4. First aid measures****4.1. Description of first aid measures**

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area.  
If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

If skin irritation occurs: Get medical advice attention.  
If eye irritation persists: Get medical advice attention.

**SECTION 5. Firefighting measures****5.1. Extinguishing media**

Advised extinguishing agents:

Water spray, CO<sub>2</sub>, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

**5.2. Special hazards arising from the substance or mixture**

No data available.

**5.3. Advice for firefighters**

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use self-respirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

**6.2. Environmental precautions**

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

**6.3. Methods and material for containment and cleaning up**

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

**6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

**SECTION 7. Handling and storage****7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors

Wear protective gloves protective clothing eye protection face protection.  
At work do not eat or drink.  
See also paragraph 8 below.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.  
Keep containers upright and safe by avoiding the possibility of falls or collisions.  
Store in a cool place, away from sources of heat and direct exposure of sunlight.

### 7.3. Specific end use(s)

Professional use:  
Photographic and cinematographic treatment

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

- Substance: Potassium Carbonate an.  
DNEL  
Local effects Long term Workers inhalation = 10  
Local effects Long term Workers dermal = 16 (mg/kg bw/day)  
Local effects Long term Consumers dermal = 8 (mg/kg bw/day)  
Local effects Long term Consumers inhalation = 10 (mg/m<sup>3</sup>)

### 8.2. Exposure controls



Appropriate engineering controls:

Professional use:

Not established

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Related to contained substances:

Potassium Carbonate an.:

At work do not eat, don't drink, don't smoke.

Respiratory protection equipment

In the case of recommended use of dust dust mask.

Hand protection

Wear rubber gloves approved according to EN374.

Eye protection

Safety glasses with side-shields (EN 166).

Additional information about design of technical systems

Workplaces must be adequately ventilated. Where possible, install sources of local exhaust air replacement systems and effective General. If these measures are not sufficient to maintain concentrations of particulate materials and solvent vapours below the exposure limit, you will need to make use of adequate respiratory protection.

## SECTION 9. Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

Physical and chemical properties	Value	Determination method
Appearance	Liquid	
Odour	undefined	
Odour threshold	undefined	
pH	11,45 ± 0,05 (27°C)	pH METRO
Melting point/freezing point	Irrilevant	
Initial boiling point and boiling range	Not determined	
Flash point	non flammable	ASTM D92
Evaporation rate	Not determined	
Flammability (solid, gas)	Irrilevant	
Upper/lower flammability or explosive limits	undefined	
Vapour pressure	Not determined	
Vapour density	Not determined	
Relative density	1.341 ± 0,01 g/cm <sup>3</sup>	
Solubility	in water	
Water solubility	Complete	
Partition coefficient: n-octanol/water	Not determined	
Auto-ignition temperature	Not determined	
Decomposition temperature	Not determined	
Viscosity	not determined	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

**9.2. Other information**

No data available.

**SECTION 10. Stability and reactivity****10.1. Reactivity**

Related to contained substances:  
Potassium Carbonate an.:  
No hazardous reactions if stored and used properly.

**10.2. Chemical stability**

No hazardous reaction when handled and stored according to provisions.

**10.3. Possibility of hazardous reactions**

There are no hazardous reactions

**10.4. Conditions to avoid**

Nothing to report

### 10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.

It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: Potassium Carbonate an.: Cause irritation to the mouth, throat, stomach and gastrointestinal problems

(b) skin corrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

Potassium Carbonate an.: Corrosion on contact with the eyes and can cause severe burns and deep ulcerations that can leave scars

Potassium Carbonate an.: Causes skin irritation.

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

Potassium Carbonate an.: The seriousness of the injury depends on the concentration of the product, by time and temperature

Potassium Carbonate an.: Causes serious eye irritation.

(d) respiratory or skin sensitization: Potassium Carbonate an.: May cause slight irritation.

(e) germ cell mutagenicity: Potassium Carbonate an.: The concentration that can produce mutagenic effects strongly elevated. On the basis of the limited mutagenicity found in animals, the risk of genetic damage on humans is considered insignificant.

(f) carcinogenicity: Potassium Carbonate an.: Not reported evidence of this effect

(g) reproductive toxicity: Potassium Carbonate an.: Not reported evidence of such an effect.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure: based on available data, the classification criteria are not met.

(j) aspiration hazard: Potassium Carbonate an.: Cause irritation to the respiratory tract.

Related to contained substances:

Potassium Carbonate an.:

The product may have harmful effects on human health.

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 5

## SECTION 12. Ecological information

### 12.1. Toxicity

Related to contained substances:

Potassium Carbonate an.:

Ec50 (Potassium CARBONATE; Nr. CAS: 584-08-7)

Daphnia Daphnia pulex Value = 200 mg/l For. test: 48 h

Lc50 (Potassium CARBONATE; Nr. CAS: 584-08-7)

Fish rainbow trout Value = 68 mg/l

C(E)L50 (mg/l) = 200

Use according to good working practices to avoid pollution into the environment.

### **12.2. Persistence and degradability**

Related to contained substances:  
Potassium Carbonate an.:  
Specific information is not available on this product.

### **12.3. Bioaccumulative potential**

Related to contained substances:  
Potassium Carbonate an.:  
Unpredictable potential for bioaccumulation.

### **12.4. Mobility in soil**

Related to contained substances:  
Potassium Carbonate an.:  
Data not available

### **12.5. Results of PBT and vPvB assessment**

No PBT/vPvB ingredient is present

### **12.6. Other adverse effects**

No adverse effects

## **SECTION 13. Disposal considerations**

### **13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.  
Recover if possible. Operate according to local or national regulations

## **SECTION 14. Transport information**

### **14.1. UN number**

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

### **14.2. UN proper shipping name**

None

### **14.3. Transport hazard class(es)**

None

### **14.4. Packing group**

None

**14.5. Environmental hazards**

None

**14.6. Special precautions for user**

No data available.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

It is not intended to carry bulk

**SECTION 15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Related to contained substances:

Potassium Carbonate an.:

EU Regulation 286/2011 (amending, for the purposes of adaptation to scientific and technical progress (ATP) of the Regulation no. 1272/2008 / EC).

Directive 67/548 / EEC (Classification, Packaging and Labeling of dangerous substances) and subsequent amendments.

Directive 1999/45 / EC (Classification, Packaging and Labeling of dangerous preparations) and subsequent amendments.

Regulation no. 1907/2006 / EC (REACH).

Regulation no. 1272/2008 / EC (CLP).

Regulation no. 790/2009 / EC (amending, for the purposes of adaptation to scientific and technical progress, ATP Regulation no. 1272/2008 / EC).

EU Regulation 286/2011 (amending, for the purposes of adaptation to scientific and technical progress (ATP) of the Regulation no. 1272/2008 / EC).

EU Regulation 618/2012 (amending, for the purposes of adaptation to scientific and technical progress (ATP) of the Regulation no. 1272/2008 / EC).

EU Regulation 487/2013 (amending, for the purposes of adaptation to scientific and technical progress (ATP) of the Regulation no. 1272/2008 / EC).

Regulation 830/2015 / EU (amending Regulation (EC) no. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Legislative Decree. 02/03/1997 n. 52 (Classification, packaging and labeling of dangerous substances). Legislative

Decree 14/03/2003 n. 65 (Classification, packaging and labeling of dangerous substances). Legislative Decree.

02/02/2002 n. 25 (Risks related to chemical agents at work). D.M. 26/02/2004 Work (Exposure Limits Professional);

D.M. 03/04/2007 (Implementation of Directive n. 2006/8 / EC). Regulation (EC) No. 1907/2006 (REACH), Regulation (EC) No. 1272/2008 (CLP), Regulation (EC) 790 / 2009.D.Lgs. September 21, 2005 n. 238 (Seveso Ter).

REGULATION (EU) No 1357/2014 - waste:

HP4 - Irritant — skin irritation and eye damage

**15.2. Chemical safety assessment**

The supplier has made an assessment of chemical safety

**SECTION 16. Other information****16.1. Other information**

Description of the hazard statements exposed to point 3

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

H335 = May cause respiratory irritation.



Issued on 02/18/2016 - Rel. # 1 on 02/18/2016

# 9 / 9

In conformity to Regulation (EU) 2015/830

---

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

Regolamento 529/2012 and subsequent updates

This data sheet cancels and replaces any previous edition.

---

Geowin SDS rel. 9 - Use - Consumer