

PHOTOGRAPHERS' FORMULARY

USING THE DEVELOPER

For full strength, develop the print for 3-4 minutes with undiluted working solution at 20°C/68°F. Stop, fix, wash, and dry the developed print in the normal manner.

For softer results, the working solution can be diluted up to 15 times with water. With the diluted developer, the development times will have to be lengthened--up to 10 minutes for the highest dilution. To decrease the chances of fogging the print, it is advisable to carry out the longer developments without a safety light. Stop, fix, wash, and dry the print in the normal manner.

FORMULARY AMIDOL PAPER DEVELOPER

Directions for mixing and using FORMULARY AMIDOL PAPER DEVELOPER: kit sizes, 1 liter (Catalog number 02-0030); 2 liters (Catalog number 02-0040); and 4 liters (Catalog number 02-0041). Amidol is regarded as one of the finest developers available. It produces rich, strong, black tones, which are slightly cool. Amidol works best on bromide paper where it produces a pleasing tonal range. It can be used at high dilution and yet maintain good print color. Soft-high key prints are especially beautiful when processed in a diluted amidol developer. Because of its unique developing qualities, amidol is the favorite developer of photographers who exhibit their prints.

Although amidol is an excellent developer, it has a number of drawbacks. It is toxic and expensive. It does not keep well in solution. (Its useful life is about 2-3 hours.) And because amidol stains everything it comes into contact with, it is not pleasant to work with.

Formulary Amidol Paper Developer is very similar to Formulary Edward Weston's Paper Developer (Catalog number 02-0010). Weston's amidol developer contains citric acid and more restrainer (potassium bromide) than does Formulary Amidol Paper Developer. The additional restrainer in Weston's Amidol Developer results in prints with greater contrast. Because Formulary Amidol Paper Developer is not acidic, it is a more vigorous developer than is Weston's Amidol.

CHEMICAL SAFETY

All chemicals are dangerous and must be treated with respect. Please read the chemical warnings on each package.



PHOTOGRAPHERS'
FORMULARY INC.

PO Box 950 • Condon MT 59826 • 406-754-2891 • FAX 406-754-2896
E-MAIL formulary@montana.com



THATCHER COMPANY MATERIAL SAFETY DATA SHEET

PRODUCT: SODIUM SULFITE, CATALYZED

Page 3 of 3

HANDLING AND STORAGE PRECAUTIONS:

Store in a cool, dry area .

STEPS TO BE TAKEN IF MATERIAL SPILLS OR LEAKS:

Wear proper safety equipment. Sweep up material and put into drums. Flush residue to sewer with large amounts of water (if permitted).

WASTE DISPOSAL METHOD:

Dispose of in landfill. Comply with all local, state and federal regulations.

OTHER PRECAUTIONS:

N/A

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

Use dust mask as needed to avoid breathing dust.

VENTILATION:

Use adequate ventilation.

EYE PROTECTION:

Wear goggles or safety glasses.

SKIN PROTECTION:

Wear rubber gloves.

OTHER PROTECTIVE EQUIPMENT:

None required.

ACGIH = American Conference of Governmental Industrial Hygienists
CL = Ceiling Level
IARC = International Agency for Research on Cancer: Monographs
OSHA = Occupational Safety and Health Administration
N/A = Not Applicable
NTP = National Toxicology Program: Annual Report on Carcinogens
PEL = Permissible Exposure Level (OSHA)
TLV = Threshold Limit Value (ACGIH)
TWA = Time Weighted Average over 8 Hours
STEL = Short Term Exposure Limit (ACGIH)
ND = Not Determined

This information is, to the best of our knowledge, accurate but may not be complete. THATCHER COMPANY furnishes this information in good faith, but without warranty, representation or guarantee of its accuracy, completeness, or reliability.

10-0930

REPORT NUMBER: 703
MSDS NO: P21725VS
MAINFRAME UPLOAD DATE: 07/16/04

UNIVAR USA INC.
MATERIAL SAFETY DATA SHEET

PAGE: 001
VERSION: 003

PRODUCT: POTASSIUM BROMIDE

ORDER NO: 226085
PROD NO : 614395

PHOTOGRAPHERS FORMULARY
CALL IN ADVANCE TO MEET
7079 HWY 83 N.
BOX 89
CONDON ,MT 59826

UNIVAR USA INC.
6100 CARILLON POINT , KIRKLAND

(425)889-3400
, WA 98033

----- EMERGENCY ASSISTANCE -----

FOR EMERGENCY ASSISTANCE INVOLVING CHEMICALS CALL - CHEMTREC
(800)424-9300

PRODUCT IDENTIFICATION

PRODUCT NAME: POTASSIUM BROMIDE
MSDS NUMBER: P21725VS
DATE ISSUED: 11/19/02
SUPERCEDES: NEW
ISSUED BY: 006137

REVIEWED DATE: 07/16/2004
THIS MSDS HAS BEEN REVIEWED ON 07/16/2004, AND IS
CURRENT AS OF THE DATE ISSUED ABOVE.

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE & THE COMPANY

CHEMICAL NAME POTASSIUM BROMIDE
CHEMICAL FORMULA KBR
MOLECULAR WEIGHT 120.98

TYPE OF PRODUCT AND USE

REPORT NUMBER: 703
MSDS NO: P21725VS
MAINFRAME UPLOAD DATE: 07/16/04

UNIVAR USA INC.
MATERIAL SAFETY DATA SHEET

PAGE: 003
VERSION: 003

PRODUCT: POTASSIUM BROMIDE

ORDER NO: 226085
PROD NO : 614395

GET MEDICAL ATTENTION IF IRRITATION OCCURS.

INHALATION IN CASE OF DUST INHALATION OR BREATHING FUMES RELEASED FROM HEATED MATERIAL, REMOVE PERSON TO FRESH AIR.

KEEP HIM QUIET AND WARM. APPLY ARTIFICIAL RESPIRATION IF NECESSARY AND GET MEDICAL ATTENTION IMMEDIATELY.

INGESTION IF SWALLOWED, WASH MOUTH THOROUGHLY WITH PLENTY OF WATER AND GIVE WATER TO DRINK.

GET MEDICAL ATTENTION IMMEDIATELY.

NOTE: NEVER GIVE AN UNCONSCIOUS PERSON ANYTHING TO DRINK.

NOTES TO THE PHYSICIAN IN CASE OF INGESTION INDUCE VOMITING IN ALERT PATIENT. NO SPECIFIC ANTIDOTE. TREAT SYMPTOMATICALLY AND SUPPORTIVELY.

5 FIRE-FIGHTING MEASURES

FLASH POINT NONE

FLAMMABLE/EXPLOSION LIMITS NOT FLAMMABLE

AUTO-IGNITION TEMPERATURE NOT APPLICABLE

SUITABLE EXTINGUISHING MEDIA MATERIAL IS NOT COMBUSTIBLE. USE EXTINGUISHING MEDIA APPROPRIATE TO SURROUNDING FIRE CONDITIONS.

FIRE FIGHTING PROCEDURE

COOL CONTAINERS WITH WATER SPRAY. IN CLOSED STORES, PROVIDE FIRE-FIGHTERS WITH SELF-CONTAINED BREATHING APPARATUS IN POSITIVE PRESSURE MODE.

UNUSUAL FIRE AND EXPLOSION

HAZARDS WILL DECOMPOSE FROM CA. 800 C RELEASING POISONOUS AND CORROSIVE FUMES OF HBR.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS WEAR RESPIRATOR, CHEMICAL SAFETY GOGGLES, RUBBER GLOVES AND BOOTS.

METHODS FOR CLEANING UP SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL OR POSSIBLE RE-USE.

AVOID RAISING DUST.

VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

7. HANDLING AND STORAGE

PRODUCT: POTASSIUM BROMIDE

ORDER NO: 226085
PROD NO : 614395

HAZARDOUS DECOMPOSITION
PRODUCTS HBR
HAZARDOUS POLYMERIZATION WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

- RAT ORAL LD50 > 5000 MG/KG
- EYE IRRITATION (RABBIT) IRRITANT
- DERMAL IRRITATION (RABBIT) NOT IRRITANT

CHRONIC TOXICITY REPEATED SKIN CONTACT MAY CAUSE DERMATITIS.
REPEATED ORAL INTAKE OF BROMIDES (>9 MG/KG BODY WEIGHT/DAY) MAY AFFECT THE CENTRAL NERVOUS SYSTEM. WARNING SYMPTOMS INCLUDE MENTAL DULLNESS, SLURRED SPEECH, WEAKENED MEMORY, APATHY, ANOREXIA, CONSTIPATION, DROWSINESS AND LOSS OF SENSITIVITY TO TOUCH AND PAIN.

MUTAGENICITY NOT MUTAGENIC BY THE AMES TEST

CARCINOGENICITY NOT KNOWN TO BE A CARCINOGEN.
NOT CLASSIFIED BY IARC.
NOT INCLUDED IN NTP 9TH REPORT ON CARCINOGENS.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE KBR IS AN INORGANIC SALT, WHICH FULLY DISSOCIATES IN AQUATIC ENVIRONMENT TO BROMIDE AND POTASSIUM IONS. IT ALSO UNDERGOES DEGRADATION IN SOIL TO BROMIDE ION (NO FURTHER DEGRADATION OR BIODEGRADATION WILL OCCUR).

AQUATIC TOXICITY

- LC50, FISH 3200 MG/L, 5 DAYS (RAINBOW TROUT)
- 48 HOUR-EC50, DAPHNIA MAGNA >100 MG/L

AVIAN TOXICITY:

- ORAL LD50, BOBWHITE QUAIL >2500 MG/KG
- DIETARY LC50, BOBWHITE QUAIL 6000 PPM

BIOACCUMULATIVE POTENTIAL BIOACCUMULATION IS NOT LIKELY TO OCCUR SINCE THIS MATERIAL IS HIGHLY SOLUBLE IN WATER.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL ADD INTO A LARGE VESSEL CONTAINING WATER AND DRAIN INTO SEWER WITH AMPLE WATER. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS WHEN DISPOSING OF THIS MATERIAL.

REPORT NUMBER: 703

UNIVAR USA INC.

PAGE: 007

MSDS NO: P21725VS

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 07/16/04

VERSION: 003

PRODUCT: POTASSIUM BROMIDE

ORDER NO: 226085

PROD NO : 614395

PROGRAMS

- * WORK FOR CONTINUAL IMPROVEMENT IN HSE PERFORMANCE
- * REGULARLY ASSESS AND RESPONSIBLY MANAGE HEALTH, SAFETY AND ENVIRONMENTAL RISKS ASSOCIATED WITH PRODUCTS AND PROCESSES
- * EDUCATE AND TRAIN ALL MANAGERS AND EMPLOYEES TO IMPROVE THEIR HSE PERFORMANCE
- * DISTRIBUTE UPDATED INFORMATION CONCERNING ITS POLICY AND PRODUCTS TO ITS WORKERS, CUSTOMERS AND OTHER INTERESTED PARTIES THROUGH MATERIAL SAFETY DATA SHEET (MSDS), WORKERS' SAFETY SHEETS AND THROUGH THE DSBG INTERNET SITE
- * DEVELOP BUSINESS RELATIONSHIPS WITH RESPONSIBLE SUPPLIERS, TRANSPORTERS AND DISTRIBUTORS AND PROVIDE THEM WITH HSE SUPPORT, INFORMATION AND TRAINING
- * SUPPORT PRODUCT STEWARDSHIP PROGRAMS IN COOPERATION WITH CUSTOMERS, DISTRIBUTORS AND TRANSPORTERS
- * ALLOCATE THE NECESSARY RESOURCES FOR IMPLEMENTATION OF THIS POLICY

PREPARED BY HSE DIVISION IN ISRAEL

TELEPHONE: +/972-8-6297830

TELEFAX: +/972-8-6297832

WWW.DSBG.COM

END OF SAFETY DATA SHEET

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 07/14/2006

Reviewed on 05/09/2006

1 Identification of substance:

Product details:

Product name: 2,4-Diaminophenol dihydrochloride

Stock number:

A17697

L07207

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company

Johnson Matthey Catalog Company, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Emergency Phone: (978) 521-6300

CHEMTREC: (800) 424-9300

Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency information:

During normal hours the Health, Safety and Environmental

Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:

Chemical characterization:

Description: (CAS#)

2,4-Diaminophenol dihydrochloride (CAS# 137-09-7): 100%

Identification number(s):

EINECS Number: 205-279-4

3 Hazards identification

Hazard description:



C Corrosive

Information pertaining to particular dangers for man and environment

R 22 Harmful if swallowed.

R 34 Causes burns.

R 68 Possible risk of irreversible effects.

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH	2
FIRE	1
REACTIVITY	1

Health (acute effects) = 2

Flammability = 1

Reactivity = 1

4 First aid measures

General information

Immediately remove any clothing soiled by the product.

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 07/14/2006

Reviewed on 05/09/2006

Product name: 2,4-Diaminophenol dihydrochloride

(Contd. of page 2)

Information about protection against explosions and fires:
Keep ignition sources away.

Storage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Not required.

Additional information: No data

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection:

Safety glasses

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties:

General Information

Form:	Powder
Color:	Grey

(Contd. on page 4)

USA

Alfa Aesar
A Johnson Matthey Company

Alfa Aesar
A Johnson Matthey Company

Alfa Aesar
A Johnson Matthey Company

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 07/14/2006

Reviewed on 05/09/2006

Product name: 2,4-Diaminophenol dihydrochloride

(Contd. of page 4)

Other information (about experimental toxicology):

Mutagenic effects have been observed on tests with bacteria.

Mutagenic effects have been observed on tests with laboratory animals.

Subacute to chronic toxicity:**Subacute to chronic toxicity:**

The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:

Sense Organs and Special Senses (Eye) - ptosis.

Behavioral - ataxia.

Gastrointestinal - hypermotility, diarrhea.

Kidney, Ureter, Bladder - changes in bladder weight.

Nutritional and Gross Metabolic - weight loss or decreased weight gain.

Related to Chronic Data - death.

Blood - changes in erythrocyte (RBC) count.

Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - transaminases.

Liver - changes in liver weight.

Subacute to chronic toxicity:

Corrosive materials are acutely destructive to the respiratory tract, eyes, skin and digestive tract. Eye contact may result in permanent damage and complete vision loss. Inhalation may result in respiratory effects such as inflammation, edema, and chemical pneumonitis. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion may cause damage to the mouth, throat and esophagus. May cause skin burns or irritation depending on the severity of the exposure.

Additional toxicological information:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:**General notes:**

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations**Product:****Recommendation**

Consult state, local or national regulations to ensure proper disposal.

(Contd. on page 6)

USA

Alfa Aesar
A Johnson Matthey Company**Alfa Aesar**
A Johnson Matthey Company**Alfa Aesar**
A Johnson Matthey Company

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 07/14/2006

Reviewed on 05/09/2006

Product name: 2,4-Diaminophenol dihydrochloride

(Contd. of page 6)

Packaging group:	III
Proper shipping name:	CORROSIVE SOLID, N.O.S. (2,4-Diaminophenol dihydrochloride)

15 Regulations

Product related hazard informations:

Hazard symbols:

C Corrosive

Risk phrases:

22 Harmful if swallowed.

34 Causes burns.

68 Possible risk of irreversible effects.

Safety phrases:

20 When using do not eat or drink.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

45 In case of accident or if you feel unwell, seek medical advice immediately.

60 This material and its container must be disposed of as hazardous waste.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

Information about limitation of use:

For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS:

Health, Safety and Environmental Department.

Contact: Darrell R. Sanders

USA

Alfa Aesar
A Johnson Matthey Company

Alfa Aesar
A Johnson Matthey Company

Alfa Aesar
A Johnson Matthey Company