

ARISTA-II® BLACK AND WHITE FILM ISO 400/27°

DEVELOPING INSTRUCTIONS:

Arista-II® B&W film is compatible with all major processing systems. Recommended developing times are for normal contrast negatives (based on intermittent agitation.) All developing times are standardized for 68°F / 20°C. Your developing time may vary based on environment and equipment used.

DEVELOPER	DILUTION	TIME @ 68°F / 20°C
Arista® 76 Powder	Stock	10
Arista® 76 Powder	1:1	14
Arista® Premium Powder	Stock	9
Arista® Premium Powder	1:1	12
Arista® Liquid Film Developer	Working Solution	8
Arista® Premium Liquid Developer	1:9	10
Marathon® Film Developer	1:9	5 1/4
Agfa Rodinal	1:25	10
Ilford ID-11	Stock	10
Ilford ID-11	1:1	14
Kodak D-76	Stock	10
Kodak D-76	1:1	14
Kodak HC-110	Dilution B (1:31)	6
Kodak XTOL	(Straight)	8
Kodak TMAX Developer	1:4	7
Kodak TMAX RS Developer	1:4	6

Recommended Agitation: Agitate continuously for first 30 seconds of development, then provide agitation of 5 to 7 inversion cycles for 5 seconds every 30 seconds for remainder of development time.

Where continuous agitation is used for rotary processor, reduce the developing times by 15%.

Development times may need adjusting to suit individual processing systems and working practices. If an established system is producing good results, adjust the recommended development times until the desired contrast is obtained.

Developer and manufacturers can and do change their product specifications from time to time and the development times may change as a result.

For more information regarding Arista-II® B&W films contact:

FREESTYLE PHOTOGRAPHIC SUPPLIES™

5124 Sunset Boulevard • Hollywood, CA 90027

800.292.6137 toll free phone • 323.660.3460 phone

www.freestylephoto.biz • info@freestylephoto.biz

Made in Germany