MATERIAL SAFETY DATA SHEET



Division of BioCerax, Inc.

13310 S FIGUEROA STREET LOS ANGELES, CA 90061 TEL: (310) 538 9530 FAX: (310) 515 6517

SECTION I - Identification

Date: November-05

Product Name: ULTRA COLD TONE PRINT DEVELOPER MSDS #: 11 60XX

Chemical Family: Aqueous Alkaline Solution

Medical Emergency Telephone: (708) 640 4800

Transportation Emergency Telephone: CHEMTREC® 1 (800) 424 9300 Revision Date:

SECTION II - Hazardous Components (Typical Values)

SECTION III - Physical / Chemical Data

Boiling Point : > 212° F Solubility in Water (by Weigh: 100% Melting Point : Not Applicable Specific Gravity ($H_20 = 1$) : 1.240

Vapor Pressure : Same as water Composite Vapor Pressure : Not Applicable

Vapor Density (AIR = 1) : Same as water pH : 10.65

Evaporation Rate : Same as water | Appearance : Clear, pale straw color

Volatile Fraction by Weight : Not Applicable Odor : No odor

Volatile Organic Compound : Not Applicable

SECTION IV - Fire and Explosion Hazard Data

Flash Point : Not flammable

Flammable Limits in Air : Lower : None Upper: None

Extinguishing Media : Any extinguishing media applicable to the surrounding area.

Special Fire Fighting Procedures : Evacuate personnel to a safe area. Keep personnel away from and upwind of fire

Wear self-contained breathing apparatus.

Unusual Fire and Explosion Hazards : When heated to decomposition, emission of toxic fumes are possible.

SECTION V - Health Hazard Data / SARA - Title III Hazard Categories

A. Acute Exposure Effects (Note: pertains to finished product)

- Eye contact : May cause irritation and burns.

- Skin contact : May cause irritation or allergic skin reaction.

- Inhalation : Normally not a problem, but inhalation of mist could cause respiratory irritation.

- Ingestion : May cause irritation of mucous membranes or digestive tract.

B. First Aid (Applies to finished Product)

- Eyes : Immediately flush with plenty of running water for at least 15 minutes. Obtain

medical attention.

- Skin : Flush affected areas promptly with water for 15 minutes. Remove contaminated

clothing. In case of continued irritation, consult a physician.

-Inhalation : For over-exposure, remove to fresh air.

- Ingestion : Drink milk or water. Do not induce vomiting. Obtain immediate medical attention.

C. Chronic Health Effects (Note: Pertains to each ingredient listed in section 2 per 29 CFR Sect. 1910.1200)

Hydroquinone:

Repeated contact can cause skin sensitization and allergic dermatitis. Chronic over-exposure can cause anemia and discoloration and corneal opacity of the eyes.

- Toxicity Data: Oral-Human LDLO: 29 mg/kg.

Oral-Rat LD50: 320 mg/kg.

All Other Ingredients in Section II

- A computerized literature search of national databases did not yield any chronic effects associated with these materials.

- Carcinogenicity Listing: NTP = No IAR = No OSHA = No

Product Name: ULTRA COLD TONE PRINT DEVELOPER MSDS #: 11 60XX

SECTION VI - Reactivity Data

Stability : Stable.

Incompatibility : Strong acids, oxidizers.

Hazardous Decomposition Products : With strong acids, sulfur dioxide gas.

Hazardous Polymerization : Will not occur.

SECTION VII - Disposal Information

Spill, Leak or Release

NOTE: Review Section IV and VIII before proceeding with clean up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean up. Dike spill. Prevent liquid from entering sewers, waterways or low areas. Soak up with sand, oil dry or other absorbent material. Spill may be neutralized with Citric Acid.

Waste Disposal

Recover non-usable free liquid and/or contaminated water, and dispose of in an approved and permitted treatment system. Remove non-usable solid material and/or contaminated soil, for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment.

SECTION VIII - Special Protection Information

A. Respiratory Protection : Sufficient room ventilation.

B. Skin and Eye Protection: Splash protection is suggested, e.g., eyeglasses with side shields, gloves and aprons.

SECTION IX - Storage Conditions

Store in a well ventilated area. Keep container tightly closed. Do not store with incompatible materials (See Section VI). Do not store or consume food, drink or tobacco in an area where they may become contaminated with this material.

SECTION X - Hazardous Transportation Regulations

NON REGULATED

SECTION XI - Hazard Communication

0 = Insignificant	HEALTH	= 1
1 = Slight	FLAMMABILITY	= 0
2 = Moderate	REACTIVITY	= 0
3 = High	SPECIAL	= 0

4 = Extreme

SECTION XII - TSCA Information

TSCA Listing: All ingredients in this finished product are listed on the EPA TSCA Inventory (See Section II).

SECTION XIII - Federal EPA - SARA Title III Notification

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (FOR SARA 313).

Components present in this product at a level which could require reporting under the statute are:

Chemical CAS # Upperbound Concentration - %

Hydroquinone 123-31-9 2

Product Name: ULTRA COLD TONE PRINT DEVELOPER MSDS #: 11 60XX

SECTION XIV - Regulatory Information

TSCA	(United States)	The intentional ingredients of this product are listed.
AICS	(Australia)	The intentional ingredients of this product are listed.
DSL/NDSL	(Canada)	The intentional ingredients of this product are listed.
EINECS	(European Union)	The intentional ingredients of this product are listed.
ENCS	(Japan)	The intentional ingredients of this product are listed.
KECL	(Korea)	The intentional ingredients of this product are listed.
PICCS	(Philippines)	The intentional ingredients of this product are listed.
IECSC	(China)	The intentional ingredients of this product are listed.
SWISS	(Switzerland)	The intentional ingredients of this product are listed.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of the knowledge of Clayton Chemical Company. The data on this sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or any process. Clayton Chemical Company assumes no legal responsibility for use or reliance upon this data. The information herein is provided solely for your consideration, investigation and verification.