

MATERIAL SAFETY DATA SHEET

200000322/F/USA
Approval Date: 03/02/2004
Print Date: 11/08/2004
Page: 1/8

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: KODAK HC-110 Developer Replenisher

Catalog Number(s): 140 8913 - To Make 1 gallon (U.S.)

Manufacturer/Supplier: EASTMAN KODAK COMPANY, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151

For other information or to request an MSDS, call (800) 242-2424.

Synonym(s): Concentrate: KAN 427922; PCD 4981; C-0070.120
Working solution: KAN 966459; C-0070.130

2. COMPOSITION/INFORMATION ON INGREDIENTS

Weight % - Component - (CAS Registry No.)

Concentrate:

35-40	Diethanolamine-sulfur dioxide complex (063149-47-3)
20-30	Water (007732-18-5)
10	Diethanolamine (000111-42-2)
9	Hydroquinone (000123-31-9)
5-10	Diethylene glycol (000111-46-6)
5-10	2-aminoethanol (000141-43-5)
1	Ethylene glycol (000107-21-1)
1-5	Pentetic acid (000067-43-6)
0.1-1	Pyrocatechol (000120-80-9)

Working solution:

85-90	Water (007732-18-5)
5-10	Diethanolamine-sulfur dioxide complex (063149-47-3)
1-5	Diethanolamine (000111-42-2)
1-5	Hydroquinone (000123-31-9)
1-5	Diethylene glycol (000111-46-6)
< 1	2-aminoethanol (000141-43-5)

3. HAZARDS IDENTIFICATION

Concentrate:

CONTAINS: Diethanolamine (000111-42-2), Hydroquinone (000123-31-9),
2-aminoethanol (000141-43-5), Diethylene glycol (000111-46-6), Ethylene
glycol (000107-21-1), Pentetic acid (000067-43-6), Diethanolamine-sulfur
dioxide complex (063149-47-3)

WARNING!

HEAT SENSITIVE - CAN DECOMPOSE IF HEATED
CAN CAUSE KIDNEY DAMAGE AND CNS EFFECTS FOLLOWING INGESTION
MAY CAUSE BLOOD DISORDERS BASED ON ANIMAL DATA
MAY CAUSE LIVER DAMAGE BASED ON ANIMAL DATA
HARMFUL IF ABSORBED THROUGH SKIN OR SWALLOWED
CAUSES SKIN AND EYE IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION

HMIS Hazard Ratings:

Health - * 2, Flammability - 1, Reactivity - 1, Personal Protection - B

MATERIAL SAFETY DATA SHEET

200000322/F/USA
Approval Date: 03/02/2004
Print Date: 11/08/2004
Page: 2/8

NFPA Hazard Ratings:
Health - 1, Flammability - 1, Reactivity (Stability) - 1

Working solution:

CONTAINS: Hydroquinone (000123-31-9); Diethanolamine (000111-42-2);
Diethylene glycol (000111-46-6); Diethanolamine-sulfur dioxide complex
(063149-47-3)

WARNING!

CAN CAUSE KIDNEY DAMAGE AND CNS EFFECTS FOLLOWING INGESTION
MAY CAUSE BLOOD DISORDERS BASED ON ANIMAL DATA
MAY CAUSE LIVER DAMAGE BASED ON ANIMAL DATA
HARMFUL IF ABSORBED THROUGH SKIN OR SWALLOWED
CAUSES EYE IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION

HMIS Hazard Ratings:
Health - * 2, Flammability - 1, Reactivity - 0, Personal Protection - B

NFPA Hazard Ratings:
Health - 1, Flammability - 1, Reactivity (Stability) - 0

NOTE: HMIS and NFPA hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. The personal protection index is only intended for general guidance on personal protection equipment (PPE) that is suitable for the potential hazards of the material. PPE (e.g., respirators) may not be needed if engineering controls (e.g., local ventilation) are adequate. An asterisk (*), in the HMIS health field, designates potential chronic or target organ hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

4. FIRST-AID MEASURES

Inhalation: If symptomatic, move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.

Eyes: Immediately flush with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

Skin: Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation or an allergic skin reaction develops, get medical attention. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Ingestion: Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Water spray, carbon dioxide (CO2), dry chemical, alcohol foam

Special Fire-Fighting Procedures:

MATERIAL SAFETY DATA SHEET

200000322/F/USA

Approval Date: 03/02/2004

Print Date: 11/08/2004

Page: 3/8

Concentrate: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products. Use water spray to keep fire-exposed containers cool.

Working solution: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide, oxides of nitrogen, oxides of sulfur

Unusual Fire and Explosion Hazards:

Concentrate: Elevated temperature can cause decomposition.

Working solution: None

6. ACCIDENTAL RELEASE MEASURES

Flush to sewer with large amounts of water. Otherwise, absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

7. HANDLING AND STORAGE

Personal Precautionary Measures: Avoid breathing mist or vapor at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Wash thoroughly after handling.

Prevention of Fire and Explosion:

Concentrate: Keep from contact with oxidizing materials. Keep away from heat.

Working solution: Keep from contact with oxidizing materials.

Storage:

Concentrate: Store in a cool place. Keep container closed.

Working solution: Keep container closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

ACGIH Threshold Limit Value (TLV):

2-aminoethanol: 3 ppm TWA; 6 ppm STEL
Hydroquinone: 2 mg/m³ TWA
Diethanolamine: 2 mg/m³ TWA, Skin
Ethylene glycol: 100 mg/m³, Ceiling, aerosol

OSHA (USA) Permissible Exposure Limit (PEL - 1971 Table Z-1 Values):

MATERIAL SAFETY DATA SHEET

200000322/F/USA
Approval Date: 03/02/2004
Print Date: 11/08/2004
Page: 4/8

2-aminoethanol: 3 ppm TWA
Hydroquinone: 2 mg/m3 TWA

AIHA Workplace Environmental Exposure Level (WEEL):

Diethylene glycol: 10 mg/m3

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

Respiratory Protection: None should be needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: Organic vapor. If respirators are used, a program should be instituted to assure compliance with OSHA Standard 29 CFR 1910.134.

Eye Protection: Wear safety glasses with side shields (or goggles).

Skin Protection: Wear impervious gloves and protective clothing appropriate for the risk of exposure.

Recommended Decontamination Facilities: Eye bath, washing facilities, safety shower

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Liquid

Color:

Concentrate: Brown

Working solution: Colorless

Odor:

Concentrate: Amine

Working solution: Slight amine

Specific Gravity (water = 1):

Concentrate: 1.20

Working solution: 1.02

Vapor Pressure at 20°C (68°F): 24 mbar (18 mm Hg)

Vapor Density (Air = 1): 0.6

Volatile Fraction by Weight:

Concentrate: 65%

Working solution: 85-90%

Boiling Point: >100°C (>212°F)

Solubility in Water: Complete

pH:

Concentrate: 9.5

Working solution: 9.0-9.2

Flash Point: None

10. STABILITY AND REACTIVITY

Stability:

Concentrate: Stable. Materials containing similar structural groups can decompose if heated above 145°C (293°F).

Working solution: Stable

MATERIAL SAFETY DATA SHEET

200000322/F/USA
Approval Date: 03/02/2004
Print Date: 11/08/2004
Page: 5/8

Incompatibility: Strong oxidizing agents.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Effects of Exposure:

General: Contains hydroquinone. There is insufficient evidence for classifying hydroquinone as a suspected carcinogenic or mutagenic substance in humans. No increases in cancer rates were observed in an epidemiology study which looked at mortality among more than 800 persons employed primarily in the manufacture of hydroquinone. Carcinogenicity studies in animals were inconclusive. Rats and mice were given hydroquinone by stomach tube or at high concentrations in the diet. Responses were not consistent across route of exposure, species or sex. The International Agency for Research on Cancer (IARC) has classified hydroquinone in Group 3, i.e., "not classifiable" as a carcinogen. Hydroquinone is generally negative in bacterial mutagenicity tests; there is evidence for the clastogenicity (chromosome breakage) of hydroquinone in vivo and in vitro. The relevance of chromosomal effects in test animals in predicting human risk is unclear.

Contains diethylene glycol. Can cause kidney damage and CNS effects following ingestion.

Contains diethanolamine. Based on animal data, may cause adverse effects on the following organs/systems: Blood, kidney, liver, nervous system, testes.

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: Causes irritation.

Skin:

Concentrate: Causes irritation. Harmful if absorbed through skin. Prolonged or repeated contact with aqueous solutions may cause irritation. May cause allergic skin reaction based on human experience. May cause skin depigmentation.

Working solution: Harmful if absorbed through skin. Prolonged or repeated contact with aqueous solutions may cause irritation. May cause allergic skin reaction based on human experience. May cause skin depigmentation.

Ingestion:

Concentrate: Harmful if swallowed. May cause irritation of the gastrointestinal tract.

Working solution: Harmful if swallowed.

Acute Toxicity Data:

Data for a very similar material.

Data for Developer:

Oral LD-50 (rat): > 3200 mg/kg
Dermal LD-50: > 20 ml/kg

MATERIAL SAFETY DATA SHEET

200000322/F/USA
Approval Date: 03/02/2004
Print Date: 11/08/2004
Page: 6/8

Skin irritation: strong irritation
Eye irritation: moderate

12. ECOLOGICAL INFORMATION

The following properties are ESTIMATED from the components of the preparations.

	Concentrate	Working Solution
Potential Toxicity		
Fish LC50 mg/l:	1-10	1-10
Daphnid EC50 mg/l:	<1	1-10
Algal IC50 mg/l:	10-100	10-100
Organics Readily Degradable (>70%):	Yes (14 days)	Yes (14 days)
Potential Bioaccumulation:	Log Pow <1	Log Pow <1
COD (approximate g/l):	1254	159
BOD5 (approximate g/l):	794	100
Potential Toxicity Waste treatment microorganisms EC50 (mg/l):	>100	>100

13. DISPOSAL CONSIDERATIONS

Discharge, treatment, or disposal may be subject to national, state, or local laws. Flush to sewer with large amounts of water. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION

For transportation information regarding this product call the Kodak Worldwide Transportation Hazmat Hot Line: (585) 722-2400 between 8 a.m. and 5 p.m. (Eastern Standard Time), Monday through Friday.

15. REGULATORY INFORMATION

- Material(s) known to the State of California to cause cancer: None
- Material(s) known to the State of California to cause adverse reproductive effects: None

Carcinogenicity Classification (components present at 0.1% or more):

- International Agency for Research on Cancer (IARC): Hydroquinone, Group 3; Not classifiable. Pyrocatechol, Group 2B; Possibly carcinogenic to humans.
- American Conference of Governmental Industrial Hygienists (ACGIH): Ethylene glycol, A4; Not classifiable as a human carcinogen. Hydroquinone, A3; Confirmed animal carcinogen with unknown relevance to humans.
- National Toxicology Program (NTP): None
- Occupational Safety and Health Administration (OSHA): None

MATERIAL SAFETY DATA SHEET

200000322/F/USA

Approval Date: 03/02/2004

Print Date: 11/08/2004

Page: 7/8

- Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372: Hydroquinone, Diethanolamine, Ethylene glycol

16. OTHER INFORMATION

US/Canadian Label Statements:

Concentrate:

CONTAINS: Diethanolamine (000111-42-2), Hydroquinone (000123-31-9), 2-aminoethanol (000141-43-5), Diethylene glycol (000111-46-6), Ethylene glycol (000107-21-1), Pentetic acid (000067-43-6), Diethanolamine-sulfur dioxide complex (063149-47-3)

WARNING!

HEAT SENSITIVE - CAN DECOMPOSE IF HEATED
CAN CAUSE KIDNEY DAMAGE AND CNS EFFECTS FOLLOWING INGESTION
MAY CAUSE BLOOD DISORDERS BASED ON ANIMAL DATA
MAY CAUSE LIVER DAMAGE BASED ON ANIMAL DATA
HARMFUL IF ABSORBED THROUGH SKIN OR SWALLOWED
CAUSES SKIN AND EYE IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION

Store in a cool place.

Avoid breathing mist or vapor at concentrations greater than the exposure limits.

Avoid contact with eyes, skin, and clothing.

Use with adequate ventilation.

Wash thoroughly after handling.

FIRST AID: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. If inhaled, move to fresh air. Treat symptomatically. In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Keep out of reach of children.

Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood.

Since emptied containers retain product residue, follow label warnings even after container is emptied.

Working solution:

CONTAINS: Hydroquinone (000123-31-9), Diethanolamine (000111-42-2), Diethylene glycol (000111-46-6), Diethanolamine-sulfur dioxide complex (063149-47-3)

WARNING!

CAN CAUSE KIDNEY DAMAGE AND CNS EFFECTS FOLLOWING INGESTION
MAY CAUSE BLOOD DISORDERS BASED ON ANIMAL DATA
MAY CAUSE LIVER DAMAGE BASED ON ANIMAL DATA

MATERIAL SAFETY DATA SHEET

200000322/F/USA

Approval Date: 03/02/2004

Print Date: 11/08/2004

Page: 8/8

HARMFUL IF ABSORBED THROUGH SKIN OR SWALLOWED
CAUSES EYE IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION

Avoid breathing mist or vapor at concentrations greater than the exposure limits.

Avoid contact with eyes, skin, and clothing.

Use with adequate ventilation.

Wash thoroughly after handling.

FIRST AID: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. If inhaled, move to fresh air. Treat symptomatically. Get medical attention if symptoms occur. In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Keep out of reach of children.

For additional information, see Material Safety Data Sheet (MSDS) for this material.

Since emptied containers retain product residue, follow label warnings even after container is emptied.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-2, F-1, C-1HT
WS:R-1, S-2, F-1, C-0