

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/25/2017 Reviewed on 05/25/2017

1 Identification

- · Product Identifier
- · Trade name: Titan Blue
- · Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information

- · Product Description Aqueous Solution
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:

Clayton Chemical

2630 Homestead Pl.

Rancho Dominguez, CA 90220 Telephone: (310) 538 9530

· Emergency telephone number:

Medical Emergency Telephone : CHEMTREC® 1 (800) 424 9300

Transportation Emergency Telephone: CHEMTREC® 1 (800) 424 9300

2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS07 GHS08

· Signal word: Warning

Hazard-determining components of labeling:

Decyl Alcohol

· Hazard statements:

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/25/2017 Reviewed on 05/25/2017

Trade name: Titan Blue

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 0

REACTIVITY 0 Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Non-ha	· Non-hazardous components:			
7758-29	4 Sodium Tripolyphosphate	5-10%		
7732-18	-5 Water, distilled water, deionized water	≥85%		

- · Chemical characterization: Mixtures
- · **Description:** Mixture of substances listed below with non-hazardous additions.

Dangerous Components:				
CAS: 107-98-2 RTECS: UB 7700000	1-methoxy-2-propanol Flam. Liq. 3, H226; STOT SE 3, H336	2-5%		
CAS: 69827-42-7	Decyl Alcohol Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1A, H317	≤ 2.5%		
CAS: 68603-42-9	Coconut diethanolamide - anionic surfactant & Carc. 2, H351; Acute Tox. 4, H302	≤ 2.5%		

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures:
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/25/2017 Reviewed on 05/25/2017

Trade name: Titan Blue

Seek immediate medical advice.

Rinse opened eye for several minutes under running water.

· After swallowing:

Do not induce vomitting.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media:
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture: Emits toxic corrosive fumes under fire condidtions.
- Advice for firefighters:
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin, eyes and clothing.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:		
7758-29-4	Sodium Tripolyphosphate	0.61 mg/m3
107-98-2	1-methoxy-2-propanol	100 ppm
1310-58-3	Potassium Hydroxide	0.18 mg/m3
PAC-2:		
7758-29-4	Sodium Tripolyphosphate	6.8 mg/m3
107-98-2	1-methoxy-2-propanol	160 ppm
1310-58-3	Potassium Hydroxide	2 mg/m3
PAC-3:		
7758-29-4	Sodium Tripolyphosphate	620 mg/m3
107-98-2	1-methoxy-2-propanol	660 ppm
1310-58-3	Potassium Hydroxide	54 mg/m3

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/25/2017 Reviewed on 05/25/2017

Trade name: Titan Blue

7 Handling and Storage

Handling

Precautions for safe handling:

Avoid contact with skin, eyes and clothing

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store in a well ventilated area. Keep container tightly closed. Do not store or consume food, drink or tobacco in an area where they may become contaminated with this material.

- Information about storage in one common storage facility: See Section 10 (Incompatible materials)
- Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

107-98-2 1-methoxy-2-propanol

REL Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm TLV Short-term value: 369 mg/m³, 100 ppm Long-term value: 184 mg/m³, 50 ppm

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Breathing equipment:



NIOSH/OSHA or EN approved respiratory protection is recommended for use in airborne concentrations exceeding exposure limits.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/25/2017 Reviewed on 05/25/2017

Trade name: Titan Blue

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

Body protection:



Apron

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Color:
Clear
Odor:
Odor threshold:
Liquid
Clear
Odorless
Not determined.

· **pH-value:** 12.6

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Not determined.
Not determined.
Not determined.
Not determined.
Not applicable.
Not applicable
Decomposition temperature:
Not determined.

· **Auto igniting:** Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 05/25/2017 Issue date 05/25/2017

Trade name: Titan Blue

• Explosion limits:

Not determined. Lower: Not determined. **Upper:** 23 hPa (17 mm Hg)

· Vapor pressure @ 20 °C (68 °F):

· Density:

Relative density: Not determined. Not determined. Vapor density: Not determined. Evaporation rate:

· Solubility in / Miscibility with:

Soluble. Water:

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

· Solvent content:

Organic solvents: 3.8 85.0 % Water: 3.8 % VOC content:

Other information: No further relevant information available.

0 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No known hazardous reactions
- · Conditions to avoid: None known
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:				
7758-29-4 Sodium Tripolyphosphate				
Oral	LD50	3900 mg/kg (Rat)		
107-98-2 1	107-98-2 1-methoxy-2-propanol			
Oral	LD50	5660 mg/kg (Rat)		
Dermal	LD50	13000 mg/kg (Rabbit)		
Inhalative	LC50/96 hours	12732 mg/l (Trout)		
	LC50/48 hrs	5744 mg/l (Daphnia)		
69827-42-7 Decyl Alcohol				
Oral	LD50	1000-5000 mg/kg (Rat)		
68603-42-9 Coconut diethanolamide - anionic surfactant				
Oral	LD50	1600 mg/kg (Rat)		

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/25/2017 Reviewed on 05/25/2017

Trade name: Titan Blue

Dermal LD50 12200 mg/kg (Rabbit)

- · Primary irritant effect:
- · On the skin: May cause an allergic skin reaction.
- On the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

68603-42-9 Coconut diethanolamide - anionic surfactant 2B

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

107-98-2 1-methoxy-2-propanol

EC50 1654 mg/l (Green algae) (96 hr)

- · Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/25/2017 Reviewed on 05/25/2017

Trade name: Titan Blue

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable.Special precautions for user: Not applicable.

• Stowage Category Fransport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

7758-29-4 | Sodium Tripolyphosphate

- · TSCA (Toxic Substances Control Act):
 - 7758-29-4 Sodium Tripolyphosphate
 - 107-98-2 1-methoxy-2-propanol
- 68603-42-9 Coconut diethanolamide anionic surfactant
 - 1310-58-3 Potassium Hydroxide
 - 7732-18-5 Water, distilled water, deionized water
- · California Proposition 65:
- · Chemicals known to cause cancer:

68603-42-9 Coconut diethanolamide - anionic surfactant

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

107-98-2 1-methoxy-2-propanol

1310-58-3 Potassium Hydroxide

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/25/2017 Reviewed on 05/25/2017

Trade name: Titan Blue

· New Jersey Special Hazardous Substance List:				
107-98-2	1-methoxy-2-propanol	F3		
1310-58-3	Potassium Hydroxide	CO, R1		
Pennsylva	· Pennsylvania Right-to-Know List:			
7758-29-4	Sodium Tripolyphosphate			
107-98-2	1-methoxy-2-propanol			
1310-58-3	Potassium Hydroxide			
· Pennsylvania Special Hazardous Substance List:				
7758-29-4	Sodium Tripolyphosphate	E		
1310-58-3	Potassium Hydroxide	E		

· Carcinogenic categories:

· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· TLV (Threshold Limit Value established by ACGIH):	
None of the ingredients are listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS07 GHS08

- · Signal word: Warning
- · Hazard-determining components of labeling:

Decyl Alcohol

· Hazard statements:

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/25/2017 Reviewed on 05/25/2017

Trade name: Titan Blue

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<u>16 Other Information</u>

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 05/25/2017 / 5

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity – Category 2

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106