

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/20/2015

Glycolic acid Hazard statements Causes skin irritation. Causes serious eye damage.

May damage fertility or the unborn child.

Reviewed on 05/20/2015

1 Identification
· Product identifier
 Trade name: Odorless Fixer Plus Relevant identified uses of the substance or mixture and uses advised against Product description Aqueous Acidic Solution
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Clayton Chemical 2630 Homestead PI. Rancho Dominguez, CA 90220 Telephone: (310) 538 9530 Emergency telephone number: Medical Emergency Telephone : CHEMTREC® 1 (800) 424 9300 Transportation Emergency Telephone : CHEMTREC® 1 (800) 424 9300
2 Hazard(s) identification
· Classification of the substance or mixture
GHS08 Health hazard
Repr. 1B H360 May damage fertility or the unborn child.
GHS05 Corrosion
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Skin Irrit. 2 H315 Causes skin irritation.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms
GHS05 GHS08
· Signal word Danger
• <i>Hazard-determining components of labeling:</i> Sodium metabisulphite

Page 1/9



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/20/2015

Reviewed on 05/20/2015

Trade name: Odorless Fixer Plus

· Precautionary statements

Wear protective gloves.

Wear eye protection / face protection.

- Wash thoroughly after handling.
- Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

• NFPA ratings (scale 0 - 4)



• HMIS-ratings (scale 0 - 4)

HEALTH *	2	Health = *2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

CAS: 7783-18-8	Ammonium thiosulphate	25-50%
CAS: 7732-18-5 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	25-50%

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 7681-57-4	Sodium metabisulphite Eye Dam. 1, H318; Contended Acute Tox. 4, H302	2-12%
CAS: 12179-04-3	disodium tetraborate pentahydrate	≤ 2.5%
CAS: 79-14-1 RTECS: MC 5250000	Glycolic acid Skin Corr. 1A, H314; Eye Dam. 1, H318; � Acute Tox. 4, H302	≤ 2.5%

4 First-aid measures

· Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/20/2015

Trade name: Odorless Fixer Plus

Reviewed on 05/20/2015

 After skin contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing and wash before reuse. Get medical attention if symptoms occur.

- · After eye contact:
- Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink milk or water. Induce vomiting. Obtain immediate medical attention.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- When heated to decomposition, emission of toxic fumes are possible.
- Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

Additional information Evacuate personnel to a safe area. Keep personnel away from and upwind of fire.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid contact with skin, eyes and clothing

- Information about protection against explosions and fires: Keep protective respiratory device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool, dry place.
- Store in a well ventilated place.
- · Information about storage in one common storage facility: Not required.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/20/2015

Trade name: Odorless Fixer Plus

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

 Components with occupational exposure limits:

7681-57-4 Sodium metabisulphite

- REL Long-term value: 5 mg/m³
- TLV Long-term value: 5 mg/m³

12179-04-3 disodium tetraborate pentahydrate

- REL Long-term value: 1 mg/m³
- TLV Short-term value: 6* mg/m³ Long-term value: 2* mg/m³ *as inhalable fraction
- Additional information: The lists that were valid during the creation of this SDS were used as basis.

· Exposure controls

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.

· Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment:



NIOSH/OSHA or EN approved respiratory protection is recommended for use in airborne concentrations exceeding exposure limits.

Protection of hands:



Protective gloves

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Tightly sealed goggles

Reviewed on 05/20/2015



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/20/2015

Reviewed on 05/20/2015

Trade name: Odorless Fixer Plus





9 Physical and chemical properties

 Information on basic physical and c General Information 	chemical properties
 Appearance: Form: Color: Odor: Odor threshold: 	Liquid Clear Slightly Pungent Not determined.
· pH-value:	5.2
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. >100 °C (>212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
• Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)
 Density @ 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.332 g/cm ³ (11.116 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
 Viscosity: Dynamic: Kinematic: Other information 	Not determined. Not determined. No further relevant information available.
10 Stability and reactivity	
Beectivity No further relevant informa	tion evolupio

· *Reactivity* No further relevant information available.

* 1

· Chemical stability Stable under normal conditions.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/20/2015

Trade name: Odorless Fixer Plus

• Thermal decomposition / conditions to be avoided:

When heated to decomposition, emission of toxic fumes are possible.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong alkalies, oxidizers.
- · Hazardous decomposition products: Oxides of sulfur, carbon dioxide, carbon monoxide.

1 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7681-57-4 Sodium metabisulphite

Inhalative LC50/4 h 36 mg/l (Trout)

12179-04-3 disodium tetraborate pentahydrate

Oral LD50 3305 mg/kg (rat)

Inhalative LC50/4 h >2.0 mg/l (rat)

79-14-1 Glycolic acid

Oral LD50 1950 mg/kg (rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

on the eye:

Strong irritant with the danger of severe eye injury.

Causes serious eye irritation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

• NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

2 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/20/2015

Reviewed on 05/20/2015

Trade name: Odorless Fixer Plus

· Other adverse effects No further relevant information available.

* 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information

 UN-Number DOT, ADR, ADN, IMDG, IATA UN proper shipping name DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) 	Non-Regulated Material Non-Regulated Material
 DOT, ADR, ADN, IMDG, IATA Class Packing group DOT, ADR, IMDG, IATA 	Non-Regulated Material
 Environmental hazards: Special precautions for user Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code UN "Model Regulation": 	Not applicable. Not applicable. of Not applicable. -

5 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
California Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
	(Contd. on page



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/20/2015

Trade name: Odorless Fixer Plus

Page	8/9
ruge	, 0, 0

Reviewed on 05/20/2015

· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
1303-96-4 Disodium tetraborate, pentahydrate	I (oral)
• TLV (Threshold Limit Value established by ACGIH)	
7681-57-4 Sodium metabisulphite	A4
1303-96-4 Disodium tetraborate, pentahydrate	A4
• NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

0		
Sodium metabisulphite Glycolic acid • Hazard statements Causes skin irritation. Causes serious eye dat May damage fertility or • Precautionary statem Wear protective gloves Wear eye protection / fa Wash thoroughly after f Obtain special instruction Do not handle until all s If in eyes: Rinse caution Continue rinsing. Immediately call a poise Specific treatment (see IF exposed or concerned If skin irritation occurs: If on skin: Wash with pl Take off contaminated Store locked up. Dispose of contents/con	mage. the unborn child. ents ace protection. handling. ons before use. safety precautions have been read and understood. usly with water for several minutes. Remove contact lenses, if present and a on center/doctor. supplementary first aid instructions on this Safety Data Sheet). ed: Get medical advice/attention. Get medical advice/attention. enty of water. clothing and wash it before reuse.	
-		
The product is subject substances.	t to be classified according with the latest version of the regulations on h	azardous
 State Right to Know 		
CAS: 7732-18-5 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	25-50%



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/20/2015

Trade name: Odorless Fixer Plus

CAS: 7783-18-8	Ammonium thiosulphate	25-50%
CAS: 7681-57-4	Sodium metabisulphite	2-12%
	🚸 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	
CAS: 12179-04-3	disodium tetraborate pentahydrate	≤ 2.5%
	🚸 Repr. 1B, H360; Eye Irrit. 2B, H320	
CAS: 79-14-1	Glycolic acid	≤ 2.5%
RTECS: MC 5250000	🚸 Skin Corr. 1A, H314; Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	
CAS: 527-07-1	Sodium Gluconate	≤ 2.5%
All ingredients are liste	ed.	I

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 05/20/2015 / 2

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B Repr. 1B: Reproductive toxicity, Hazard Category 1B * * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

Reviewed on 05/20/2015