LEGACYPRO ECO PRO B&W PAPER DEVELOPER (HYDROQUINONE-FREE)

1. Identification of the substance/preparation and of the company/undertaking

Product name: ECO PRO B&W PAPER DEVELOPER
Product code: 123-1036, 123-1043 – PRINT DEVELOPER

Distributer: Digitaltruth Photo Ltd., 1321 Upland Dr. Ste. 2342, Houston, TX, 77043-4718 U.S.A.

Product Use: Photographic processing solution.

Customer Information Phone Number: 1-323-391-4922

CHEMTREC®: 24 Hour Emergency Transport Phone Number: 1-800-424-9300

Manufacturer code: 450022, 450200, 450407

Date Reviewed: 06/23/2020

Version: 3.0

2. HAZARDOUS IDENTIFICATION

2.1 Classification of the substance or mixture

Health hazard

Acute toxicity, Oral (Category 4), H303 Eye irritation (Category 4), H320 Skin sensitization (Category 1), H315

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word: WARNING

Hazard statement(s)

H303	May be harmful if swallowed
H315	May cause skin irritation
H320	Causes eye irritation

H335 May cause respiratory irritation

Precautionary statement(s)

P201	Obtain special instructions beforeuse
P261	Avoid breathing mist/dust/spray.

P264 Wash skin thoroughly after handling

P270 Do not eat, drink, or smoke when using this product

P280 Wear protective gloves, eye protection

P301 + P312 IF SWALLOWED; call a POISON CENTER or doctor/physician if you feel unwell

P302 + P352 IF ON SKIN: Wash with plenty of soap

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS	OHSA PEL	ACGIH TLV	Weight %
POTASSIUM CARBONATE	584-08-7	N.E.	N.E.	10-25
SODIUM SULFITE	7757-83-7	5mg/m³*	5mg/m³*	5-10
SODIUM ERYTHORBATE	16381-77-7	N.E.	N.E.	5-10
TRIETHANOLAMINE	102-71-6	N.E.	5 mg/m³TWA	1-5
* respirable dust			•	

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Inhalation: If symptomatic, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Skin Contact: Flush skin with plenty of water and wash with a non-alkaline skin cleaner. Wash contaminated clothes before reuse. Get medical attention if irritation develops.

Aggravated Medical Conditions: Individuals who are under the care of a physician or have chronic ailments, should consult a physician before using this product. May cause severe allergic reaction in some asthmatics and sulfite sensitive individuals.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Nonflammable. Use water spray, carbon dioxide, dry chemical, or alcohol foam.

5.2 Special Hazards arising from substance or mixture

Fire or excessive heat may cause production of hazardous decomposition products. Combustion Products: Carbon dioxide, carbon monoxide, and oxides of sulfur.

5.3 Advise for firefighters

Wear self-contained breathing NIOSH/MSHA approved apparatus and protective clothing to prevent contact with skin and eyes. Fire or excessive heat may produce hazardous decomposition products. Use water to keep containers cool.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Avoid contact with skin and eyes. Stop the spillage. Dike the spill. Prevent liquid from entering sewers, waterways or low areas. Absorb spillage in inert material. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill.

6.2 Environmental precautions

Prevent liquid from entering sewers, waterways or low areas. Discharge to sewer requires approval of permitting authority and may require pre-treatment. Contaminated surfaces should be cleaned using water.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid breathing mist or vapor. Do not get in eyes and avoid skin contact. Store in a cool, dry, well ventilated area. Keep containers closed. Do not store with incompatible materials. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

7.2 Conditions for safe storage, including any incompatibles

Do not store with incompatible materials. Do not store with strong acids. All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Triple rinse before disposal. Dispose of in a licensed facility.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

8.1 Control parameters

See Section 3.

8.2 Exposure controls

Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Personal protective equipment

Eye Protection: Safety glasses with side shields (or goggles).

Respiratory Protection: When this product is used in the intended way, no respiratory protection is anticipated to be necessary. A respirator should be worn if hazardous decomposition products are likely to be released. Respirator type: Acid gas.

Skin protection: Latex, rubber, or neoprene waterproof gloves are recommended.

Body protection: Rubber or plastic apron.

Respiratory protection: Local exhaust ventilation is recommended. Ventilation must be

adequate to keep hazardous ingredients below their exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance And Odor: Light straw color; no odor.

Solubility In Water: Complete

Boiling Point: > 212° F
Flash Point: Nonflammable
Vapor Pressure: Not established
Ph (Working Solution) 10.35
Specific Gravity: 1.25 g /ml
Melting Point: Not applicable
Freezing Point: Not established

Evaporation Rate: < 1

Vapor Density: Not established

Percent Volatile: 68.75

Molecular Weight: Not applicable

Pounds Per Gallon: 10.4

V.O.C is 0.

10. STABILITY AND REACTIVITY

10.1 Reactivity

Data not available

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat

10.5 Incompatible Materials

Strong acids will liberate sulfur dioxide, carbon dioxide.

10.6 Decomposition Products

May produce oxides of sulfur and carbon

11. TOXICOLOGICAL INFORMATION

11.1 Information of toxicological effects

Conponent information

Potassium Carbonate 584-08-7

Acute toxicity:

LD50 Oral – rate – 1970 mg/kg Dermal: No data available Inhalation: No data available

Skin irritation: No data available

Eye irritation: No data available

Respiratory or Skin Sensitization No data available

Carcinogenicity/mutagenicity: none

Sodium Sulfite 7757-83-7

Acute toxicity:

Oral LD-50 (rat) 3,560 mg/kg

Inhalation LD-50 (rat) $>5,500 \text{ mg/m}^3 - 4 \text{ h}$

Dermal: no data

Skin irritation: Skin – rabbit

Result: No skin irritation

Eye irritation:

Skin - rabbit

Result: No skin irritation

Respiratory or Skin Sensitization

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Carcinogenicity/mutagenicity: none

Sodium Erythrobate 6381-77-7

Acute toxicity:

Oral LD-50 (rat) 2400 mg/kg

Inhalation LD-50 (rat) No experimental data

Dermal: no data. Is expected to be greater than 2,000 mg/kg of body weight.

Skin irritation:

Probable skin irritant based on chemical properties (alkalinity).

Eye irritation:

Probable eye irritant.

Respiratory or Skin Sensitization

No experimental test data. However, other borates are not skin sensitizers.

Carcinogenicity/mutagenicity: none

Reproductive toxicity: Animal feeding studies in rat, mouse, and dog, at high doses, have demonstrated effects on fertility and testes. The doses administered were many times in excess of those to which humans would normally be exposed.

Triethanolamine 102-71-6

Acute toxicity:

 Oral:
 LD50 (Mouse): 5,846 mg/kg

 Oral:
 LD50 (Rat): 5,530 mg/kg

 Oral:
 LD50 (Rabbit): 2,200 mg/kg

 Dermal:
 LD50 (Rabbit): >22.5 g/kg

Inhalation: No data available

Skin irritation: Rabbit

Nonirritant

Eye irritation: Rabbit

No eye irritation

Respiratory or skin sensitization: No data available

Carcinogenicity/mutagenicity: none

12. ECOLOGICAL INFORMATION

Component information

Potassium Carbonate 584-08-7

12.1 Toxicity

Toxicity to fish LC50- Pimephales promelas (fathead minnow) -510 mg/l – 96h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Result of PBT and vPvB assessment

Assessment not available as chemical assessment not required/not conducted

12.6 Other adverse effects

None

Sodium Sulfite 7757-83-7

12.1 Toxicity

Toxicity to fish

LC50- Gambusia affinis (Mosquito fish) -660 mg/l -96h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Result of PBT and vPvB assessment

Assessment not available as chemical assessment not required/not conducted

12.6 Other adverse effects

None

Sodium Erythrobate 6381-77-7

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

Triethanolamine 102-71-6

12.1 Toxicity

Toxicity to fish
Toxicity to daphnia and
other aquatic invertebrates

LC0-Lepomis macrochirus (bluegill) – 450-1,000 mg/l – 96h LC50 – Daphnia magna (Water flea) – 609.98 mg/l – 48 h

12.2 Persistence and degradability

Biodegradability Result: 96% - Readily biodegradable

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Result of PBT and vPvB assessment

Assessment not available as chemical assessment not required/not conducted

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal practice must be in compliance with federal, state, and local regulations. Do not dump into sewers, ground, or any body of water.

14. TRANSPORT INFORMATION

DOT (US)

Not regulated

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302: None

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313: None

SARA 311/312 Hazards

Acute Health Hazard

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA

All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

SCAQMD Rule 443.1

Photochemically Reactive: No

Maximum Grams of VOC per Liter: 0 g/L Vapor Pressure: 18 mm Hg@ 20 Degrees C

16. OTHER INFORMATION

Full text of H-statements referred to under sections 2 and 3.

Acute toxicity, Oral (Category 4), H303 Eye irritation (Category 4), H320 Skin sensitization (Category 1), H315

HMIS RATING

Health: 1 Chronic:

Flammability: 0 Reactivity: 0

OTHER ADDITIONAL INFORMATION: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for the injuries from the use of the product described herein.