

- 2- Water rinse at room temperature for one minute.
- 3- Permanganate Bleach: Mix one part solution A to one part solution B. Bleach for 5 minutes using freshly mixed solution for each roll of film.

PHOTOGRAPHERS' FORMULARY INC.

REMAINING STEPS DONE IN ROOM LIGHT -

- 4- Rinse in water for two minutes.
- 5- Metabisulfite Clearing Bath for 3 minutes with at least 15 seconds of agitation per minute.
- 6- Rinse in Forma-Flo solution for one minute with agitation, then rinse in water for 5 minutes.
- 7- Re-expose each side of the film for one minute, using a 150-watt light bulb at a distance of one foot. Be careful not to splash water on the hot bulb.
- 8- Second Developer diluted 1:2 for 3 minutes, 68° F. Have dry reels ready for this step.
- 9- A short water rinse or acetic acid stop bath.
- 10 Fix, final wash, wetting agent, and dry as usual.

First Developer and Second Developer are both one-shot. Use in a daylight-developing tank. Do not use less than 500 ml per tank. There will be an excess of the second developer left after the kit is used up.

You can fix in any black/white acid fix, but it should be a hardening fixer since the slide will be subjected to rough handling. (4 minutes in Rapid Fix with hardener).

The above steps and times are only a starting point. Each individual must work out his own times, temperatures, and agitation as to his method of doing dark room work.



PHOTOGRAPHERS' FORMULARY INC.

PO Box 950 • Condon MT 59826 • 406-754-2891 • FAX 406-754-2896
E-MAIL formulary@montana.com

REVERSAL PROCESSING USING T-MAX FILM

To process 4 rolls of 35 mm - 36 exposure film

This formula for the reversal of black/white film into slides first appeared in the March/April 1988 issue of *Darkroom Techniques*. It was formulated by Hans F. Dietrich of Victoria, B.C.; an instructor in electron microscopy at the University of Victoria. Mr. Dietrich has given us permission to make a kit of his formula. Seaton Preston, editor of *Darkroom Techniques*, also granted permission.

Reversal processing conventional black and white film starts with a first developer. In addition to having the usual ingredients the first developer also contains a silver halide solvent. This solvent is essential to obtain clear highlights in the final transparency. After first development and a rinse, the film is bleached to remove the silver formed in the first step. The silver is converted to a chemical soluble in the bleach step.

T-MAX 100 and 400 may be processed to slides in both 35 mm and 120 formats. One added benefit of the 120 sizes is the film's thicker base. This added base thickness offers far greater stability, which is a tremendous asset when you get around to projecting your slides. T-MAX films are coated on a clear-emulsion base, as opposed to some other films, which are coated on a tinted base. Finally, don't underestimate the importance of the 2 to 4 stop exposure advantage offered by the T-MAX films. It really makes life a little easier according to Hans Dietrich.

FOR YOUR CHEMICAL SAFETY

All chemicals are dangerous and must be treated with respect. Please read the warning labels on each package. **IF FOR ANY REASON YOU DO NOT WISH TO ASSUME ALL RISKS PLEASE RETURN THE KIT FOR A FULL REFUND WITHIN 30 DAYS.**

METOL: some individuals become sensitized (develop allergic symptoms or rashes) when using Metol. Please read the warning label on this package of chemicals.

HYDROQUINONE: this chemical is toxic, a skin and eye irritant and may damage lungs. Please read the chemical warning.

SODIUM THIOSULFATE PENTA: the dust from this chemical can cause irritation to the eyes, skin and lungs. Prolonged skin contact with a solution containing this chemical may cause skin burns. Read the warning labels.



TCI AMERICA

SAFETY DATA SHEET

Revision number: 2
Revision date: 10/06/2014

1. IDENTIFICATION

Product name: 4-(Methylamino)phenol Sulfate
Product code: M0145

Product use: For laboratory research purposes.
Restrictions on use: Not for drug or household use.

Company:
TCI America
9211 N. Harborside Street
Portland, OR 97203 U.S.A.
Telephone:
+1-800-423-8616 / +1-503-283-1681
Fax:
+1-888-520-1075 / +1-503-283-1987
e-mail:
sales-US@TCIchemicals.com
www.TCIchemicals.com

Emergency telephone number:
Chemical Emergencies:
TCI America (8:00am - 5:00pm) PST
+1-503-286-7624
Transportation Emergencies:
Chemtrec 24-Hour
+1-800-424-9300 (U.S.A.)
+1-703-527-3887 (International)
Responsible department:
TCI America
Environmental Health Safety and Security
+1- 503-286-7624


2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4]
Sensitization - Skin [Category 1]
Aquatic Hazard (Acute) [Category 1]
Aquatic Hazard (Long-Term) [Category 1]

Signal word: Warning!

Hazard Statement(s): Harmful if swallowed
May cause an allergic skin reaction
Very toxic to aquatic life
Very toxic to aquatic life with long lasting effects

Pictogram(s) or Symbol(s):



Precautionary Statement(s):

Prevention

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Avoid breathing dusts or mists. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.

Response

If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Storage

None

Disposal

Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Substance
Components: 4-(Methylamino)phenol Sulfate

3. COMPOSITION/INFORMATION ON INGREDIENTS

Percent:	>98.0%(HPLC)(N)
CAS Number:	55-55-0
Molecular Weight:	344.38
Chemical Formula:	C ₁₄ H ₁₈ N ₂ O ₂ ·H ₂ SO ₄

4. FIRST-AID MEASURES

Inhalation:	May cause coughing, difficult breathing and nausea. Call emergency medical service. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	If this chemical contacts the eyes, immediately wash (irrigate) the eyes with large amounts of water, occasionally lifting the lower and upper eyelids. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Harmful if swallowed. Effects of exposure (ingestion) to substance may be delayed. If swallowed, seek medical advice immediately and show the container or label. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms/effects:

Acute:	No data available
Delayed:	May cause skin sensitization.

Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
-------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Dry chemical, CO ₂ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.
--------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

Specific hazards arising from the chemical

Hazardous combustion products:	These products include: Carbon oxides Nitrogen oxides Silicates
Other specific hazards:	Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Safety glasses. Wear protective clothing (chemical resistant suit and chemical resistant boots). Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures: Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and exercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling: Avoid inhalation of vapor or mist. Do not ingest. Avoid contact with skin and eyes. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.

Conditions for safe storage: Keep only in the original container in a cool well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods.

Storage incompatibilities: Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection: Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection: Wear protective gloves.

Eye protection: Safety glasses.

Skin and body protection: Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Solid

Form: Crystal - Powder

Color: White - Deep green

Odor: No data available

Odor threshold: No data available

Melting point/freezing point:	260°C (dec.) (500°F)	pH:	No data available
Boiling point/range:	No data available	Vapor pressure:	No data available
Decomposition temperature:	No data available	Vapor density:	No data available
Relative density:	No data available	Dynamic Viscosity:	No data available
Kinematic Viscosity:	No data available		
Partition coefficient: n-octanol/water (log P_{ow})	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point:	No data available	Autoignition temperature:	531°C (988°F)
Flammability (solid, gas):	No data available	Flammability or explosive limits:	
		Lower:	No data available
		Upper:	No data available

Solubility(ies):

Water: Soluble (4.7g/100mL, 15°C)

Slightly soluble: Alcohols

Insoluble: Ether

10. STABILITY AND REACTIVITY

Reactivity:	Not Available.
Chemical Stability:	Moisture sensitive. Light sensitive.
Possibility of Hazardous Reactions:	No hazardous reactivity has been reported.
Conditions to avoid:	Exposure to light. Exposure to moisture. Moisture sensitive.
Incompatible materials:	Oxidizing agents
Hazardous Decomposition Products:	No data available

11. TOXICOLOGICAL INFORMATION

RTECS Number: SL8650000

Acute Toxicity:

ipr-rat LDLo:50 mg/kg

orl-mus LD50:565 mg/kg

orl-rat LDLo:200 mg/kg

skn-gpg LD50:>1 g/kg

Skin corrosion/irritation:

skn-hmn 1 %/48H

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

mmo-sat 167 ug/plate (-S9)

Carcinogenicity:

No data available

IARC: No data available**NTP:** No data available**OSHA:** No data available**Reproductive toxicity:**

No data available

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

Overexposure may result in serious illness or death. Skin contact may result in sensitization. Readily absorbed through skin.

Potential Health Effects:

No specific information available; skin and eye contact may result in irritation. May be harmful if inhaled or ingested.

Target organ(s):

No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Fish:**

No data available

Crustacea:

No data available

Algae:

No data available

Persistence and degradability:

No data available

Bioaccumulative potential (BCF):

No data available

Mobility in soil:

No data available

Partition coefficient:

No data available

n-octanol/water (log P_{ow})**Soil adsorption (K_{oc}):**

No data available

Henry's Law:

No data available

constant (PaM³/mol)

13. DISPOSAL CONSIDERATIONS

Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.
Disposal of container:	Dispose of as unused product. Do not re-use empty containers.
Other considerations:	Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US) Non-hazardous for transportation.

IATA Non-hazardous for transportation.

IMDG Non-hazardous for transportation.

15. REGULATORY INFORMATION**Toxic Substance Control Act (TSCA 8b.):**

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations**CERCLA Hazardous substance and Reportable Quantity:**

SARA 313: Not Listed
SARA 302: Not Listed

State Regulations**State Right-to-Know**

Massachusetts Not Listed
New Jersey Not Listed
Pennsylvania Not Listed
California Proposition 65: Not Listed

Other Information**NFPA Rating:**

Health: 2
Flammability: 0
Instability: 0

HMIS Classification:

Health: 2
Flammability: 0
Physical: 0

International Inventories

WHMIS hazard class: D2A: Materials causing other toxic effects. (Very Toxic)
D2B: Materials causing other toxic effects. (Toxic)
EC-No: 200-237-1

16. OTHER INFORMATION

Revision date: 10/06/2014

Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.



Material Safety Data Sheet

Creation Date 20-Jan-2010

Revision Date 20-Jan-2010

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Sodium sulfite anhydrous

Cat No. BP355-500 □ S430-3 □ S430-10 □ S430-500 □ S447-3 □ S447-500

Synonyms Disodium sulfite; Sulfurous acid, disodium salt (Crystalline/Powder/Certified ACS/Low Phosphate)

Recommended Use Laboratory chemicals

Company Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Emergency Telephone Number
CHEMTREC®, Inside the USA: 800-424-9300
CHEMTREC®, Outside the USA: 703-527-3887

2. HAZARDS IDENTIFICATION

WARNING!

Emergency Overview

Contact with acids liberates toxic gas. May cause eye, skin, and respiratory tract irritation . May cause central nervous system effects.

Appearance Off-white

Physical State Solid

odor odorless

Target Organs Central nervous system (CNS)

Potential Health Effects

Acute Effects

Principle Routes of Exposure

Eyes

May cause irritation.

Skin

May cause irritation. May be harmful in contact with skin.

Inhalation

May cause irritation of respiratory tract. May be harmful if inhaled.

Ingestion

May be harmful if swallowed. May cause central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Effects

Mutagenic effects have occurred in experimental animals..

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

Component	CAS-No	Weight %
Sodium sulfite	7757-83-7	97

4. FIRST AID MEASURES

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
Ingestion	Do not induce vomiting. Obtain medical attention.
Notes to Physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point	No information available.
Method	No information available.
Autoignition Temperature	No information available.
Explosion Limits	
Upper	No data available
Lower	No data available
Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire..
Unsuitable Extinguishing Media	No information available.
Hazardous Combustion Products	No information available.
Sensitivity to mechanical impact	No information available.
Sensitivity to static discharge	No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

NFPA **Health** 1 **Flammability** 0 **Instability** 1 **Physical hazards** N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes and clothing.
Environmental Precautions	Should not be released into the environment.
Methods for Containment and Clean Up	Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal.

7. HANDLING AND STORAGE

Handling	Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothing. Keep away from acids.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment

Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Off-white
odor	odorless
Odor Threshold	No information available.
pH	8.5-10 5% aq.sol.
Vapor Pressure	No information available.
Vapor Density	No information available.
Viscosity	No information available.
Boiling Point/Range	No information available.
Melting Point/Range	>500°C / 932°F
Decomposition temperature <input type="checkbox"/> C	500
Flash Point	No information available.
Evaporation Rate	No information available.
Specific Gravity	2.630
Solubility	Partly soluble in water
log Pow	No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Molecular Weight 126.04
Molecular Formula Na₂SO₃

10. STABILITY AND REACTIVITY

Stability Air sensitive. Moisture sensitive.

Conditions to Avoid Incompatible products. Excess heat. Exposure to air. Exposure to moisture.

Incompatible Materials Strong oxidizing agents, Acids

Hazardous Decomposition Products Sulfur oxides, Sodium oxides

Hazardous Polymerization Hazardous polymerization does not occur

Hazardous Reactions . Contact with acids liberates toxic gas.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium sulfite	820 mg/kg (Rat)	Not listed	22 mg/L (Rat) 1 h 5.5 mg/L (Rat) 4 h

Irritation No information available.

Toxicologically Synergistic Products No information available.

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product

Sensitization No information available.

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

Other Adverse Effects See actual entry in RTECS for complete information.

Endocrine Disruptor Information No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium sulfite	Not listed	Not listed	EC50 = 770 mg/L 17 h	LC50 24 h 330 mg/L

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available

Mobility

Component	log Pow
Sodium sulfite	-4

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Sodium sulfite	X	X	-	231-821-4	-		X	X	X	X	KE-31612 X

Legend:**X - Listed****E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.****F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.****N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.****P - Indicates a commenced PMN substance****R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.****S - Indicates a substance that is identified in a proposed or final Significant New Use Rule****T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.****XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).****Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.****Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.****U.S. Federal Regulations****TSCA 12(b)** Not applicable**SARA 313**

Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Not applicable

Clean Air Act

Not applicable

OSHA

Not applicable

CERCLA

Not Applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know

Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION

Prepared By Regulatory Affairs
Thermo Fisher Scientific
Tel: (412) 490-8929

Creation Date 20-Jan-2010

Print Date 20-Jan-2010

Revision Summary "****", and red text indicates revision

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Eastman(TM) Hydroquinone, European Pharma Grade

Product No.: EAN 978227. 08992-0E, P08992E1, P08992E2, P08992E3

Synonyms, Trade Names: 08992-0E

Additional identification

Chemical name: 1,4-benzenediol
CAS-No.: 123-31-9

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Chemical Intermediate, Inhibitor, Photographic processing chemical.

Uses advised against: None known.

Details of the supplier of the safety data sheet

Manufacturer / Supplier

Eastman Chemical Company
200 South Wilcox Drive
Kingsport, TN 37660-5280 US
+14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

Hazard Classification:

Health Hazards

Acute toxicity (Oral)	Category 4
Serious eye damage	Category 1
Skin sensitizer	Category 1
Germ Cell Mutagenicity	Category 2
Specific Target Organ Toxicity - Single Exposure (Dermal)	Category 2

OSHA Specified Hazards:

Combustible dust	If converted to small particles during further processing, handling or by other means may form combustible dust concentrations in air.
------------------	----------------------------------------------------------------------------------------------------------------------------------------

Warning label items including precautionary statement:

Pictogram:



Signal Words: DANGER!

Hazard Statement(s): H302: Harmful if swallowed.
 H318: Causes serious eye damage.
 H317: May cause an allergic skin reaction.
 H341: Suspected of causing genetic defects.
 H371: May cause damage to organs.
 If converted to small particles during further processing, handling or by other means may form combustible dust concentrations in air.

Precautionary Statement:

Prevention: P201: Obtain special instructions before use.
 P202: Do not handle until all safety precautions have been read and understood.
 P281: Use personal protective equipment as required.
 P264: Wash hands thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P260: Do not breathe dust/fume/gas/mist/vapors/spray.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P272: Contaminated work clothing should not be allowed out of the workplace.

Response: P309+P311: IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
 P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P330: Rinse mouth.
 P302+P352: IF ON SKIN: Wash with plenty of soap and water.
 P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
 P363: Wash contaminated clothing before reuse.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310: Immediately call a POISON CENTER or doctor/physician.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None known.

SECTION 3: Composition/information on ingredients**Substances / Mixtures****General information:**

Chemical name	Concentration	Additional identification	Notes
hydroquinone	100%	CAS-No.: 123-31-9	#

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).

SECTION 4: First aid measures**Description of first aid measures**

Inhalation: Move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention. In case of irritation from airborne exposure, move to fresh air. Get medical attention if symptoms persist.

Skin contact: Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Ingestion: Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed: May irritate and cause redness and pain. Symptoms may be delayed.

Indication of any immediate medical attention and special treatment needed

Hazards: None known.

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

General Fire Hazards: Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures.

Extinguishing media

Suitable extinguishing media: Water spray. Dry chemical. Carbon Dioxide. Water spray. Carbon Dioxide. Dry chemical.

Unsuitable extinguishing media: None known. None known.

Special hazards arising from the substance or mixture: Powdered material may form explosive dust-air mixtures.

Advice for firefighters

Special fire fighting procedures: Minimize dust generation and accumulation.

Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: Wear appropriate personal protective equipment.

Environmental Precautions: Do not release into the environment.

Methods and material for containment and cleaning up: Sweep up and place in a clearly labeled container for chemical waste. Large Spillages: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams. Dike for later disposal.

Notification Procedures: In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

SECTION 7: Handling and storage:

Precautions for safe handling: Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities: Keep container closed. Keep away from food, drink and animal feeding stuffs.

Specific end use(s): Inhibitor Chemical Intermediate Photographic processing chemical.

SECTION 8: Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Country specific exposure limits have not been established or are not applicable unless listed below.

Chemical name	type	Exposure Limit Values	Source
hydroquinone	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (01 2010)
	PEL	2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	ST ESL	20 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)
	AN ESL	2 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)

Exposure controls

Appropriate engineering controls: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Eye bath. Washing facilities. Safety shower.

Eye/face protection: Chemical goggles and face shield are recommended. Wear a full-face respirator, if needed.

Skin protection

Hand Protection: Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information. Wash hands after contact.

Other: No data available.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

Hygiene measures: Observe good industrial hygiene practices.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state:	solid
Form:	solid (crystal)
Color:	white
Odor:	Odorless
Odor Threshold:	No data available.
pH:	No data available.
Melting Point	172.3 °C
Boiling Point:	287 °C
Flash Point:	165 °C (closed cup)
Evaporation Rate:	No data available.
Flammability (solid, gas):	not applicable
Flammability Limit - Upper (%)-:	No data available.
Flammability Limit - Lower (%)-:	No data available.

Vapor pressure:	0.000032 hPa (25 °C)
Vapor density (air=1):	3.8
Specific Gravity:	1.33 (15 °C)
Solubility(ies)	
Solubility in Water:	72 g/l (25 °C)
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	log Pow: 0.59
Autoignition Temperature:	515 °C
Decomposition Temperature:	Thermal stability not tested. Low stability hazard expected at normal operating temperatures.
Dynamic viscosity:	not applicable
Kinematic viscosity:	not applicable
Explosive properties:	Not classified.
Oxidizing properties:	Not classified.

SECTION 10: Stability and reactivity

Reactivity:	None known.
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	None known.
Conditions to Avoid:	Heat, sparks, flames. Light.
Incompatible Materials:	Strong oxidizing agents. Strong alkalis.
Hazardous Decomposition Products:	Carbon Dioxide. Carbon Monoxide.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation:	None known.
Ingestion:	Harmful if swallowed.
Skin contact:	May cause an allergic skin reaction. May cause skin depigmentation.
Eye contact:	Causes serious eye damage.

Information on toxicological effects

Oral

Product:	No data available.
Specified substance(s):	
hydroquinone	Oral LD-50: (Rat): > 375 mg/kg

Dermal

Product:	No data available.
-----------------	--------------------

Specified substance(s):
 hydroquinone Dermal LD-50: (Rabbit): > 2,000 mg/kg

Inhalation
Product: No data available.

Repeated dose toxicity
Product: No data available.

Specified substance(s):
 hydroquinone NOAEL (Rat, Oral Study, 90 d): 20 mg/kg
 NOAEL (Rat, Dermal Study, 90 d): 73.9 mg/kg (highest dose tested)

Skin Corrosion/Irritation
Product: No data available.

Specified substance(s):
 hydroquinone (Rabbit, 24 h): none

Serious Eye Damage/Eye Irritation
Product: No data available.

Specified substance(s):
 hydroquinone (Human): corneal opacity

Respiratory or Skin Sensitization
Product: No data available.

Specified substance(s):
 hydroquinone Skin Sensitization: (Mouse): sensitizing
 Skin Sensitization: (Guinea Pig): Not a skin sensitizer.

Carcinogenicity
Product: No data available.

Toxicity to reproduction
Product: No data available.

Developmental toxicity
Product: No data available.

Germ Cell Mutagenicity

In vitro
Product: No data available.

Specified substance(s):
 hydroquinone Mutagenicity - Bacterial: negative
 Chromosomal aberration: negative
 Chromosomal aberration: positive
 Chromosomal aberration: negative
 Mutagenicity - Mammalian: positive

In vivo**Product:** No data available.**Specified substance(s):**

hydroquinone

Chromosomal aberration intraperitoneal injection (Mouse): positive
Chromosomal aberration oral: gavage (Rat): negative**Specific Target Organ Toxicity - Single Exposure****Product:** No data available.**Specific Target Organ Toxicity - Repeated Exposure****Product:** No data available.**Aspiration Hazard****Product:** No data available.**Other effects:**

No data available.

SECTION 12: Ecological information**Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.**Specified substance(s):**

hydroquinone

LC-50 (Fish, 96 h): 0.638 mg/l

Aquatic Invertebrates**Product:** No data available.**Specified substance(s):**

hydroquinone

EC-50 (daphnid, 48 h): 0.134 mg/l

Chronic hazards to the aquatic environment:**Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Specified substance(s):**

hydroquinone

NOEC: (daphnid, 21 d): 0.0057 mg/l

Toxicity to Aquatic Plants**Product:** No data available.**Specified substance(s):**

hydroquinone

EC-50 (Alga, 72 h): 0.33 mg/l
NOEC: (Alga, 72 h): 0.019 mg/l**Persistence and Degradability****Biodegradation**

Product: No data available.

Specified substance(s):
hydroquinone 70 % (14 d, Ready Biodegradability: Modified MITI Test (I)) Readily biodegradable

BOD/COD Ratio
Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)
Product: No data available.

Partition Coefficient n-octanol / water (log Kow)
Product: Log Kow: 0.59 20 °C

Mobility in Soil: No data available.

Known or predicted distribution to environmental compartments
hydroquinone Log Koc: 0.97 - 1.7 (QSAR model)

Other Adverse Effects: No data available.

SECTION 13: Disposal considerations

Waste treatment methods

General information: No data available.

Disposal methods: Dispose of waste and residues in accordance with local authority requirements. Incinerate. Since emptied containers retain product residue, follow label warnings even after container is emptied.

SECTION 14: Transport information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT

Class 9, Packing Group III when material is shipped in quantities in one package at or above the Reportable Quantity and when no other hazard class applies; otherwise, not regulated.

Reportable Quantity: 45.4 kg (hydroquinone)

Marine pollutant.: hydroquinone

Possible Shipping Description(s):

UN 3077 Environmentally hazardous substances, solid, n.o.s. (hydroquinone) 9 III

IMDG - International Maritime Dangerous Goods Code

Marine pollutant.: (hydroquinone)

Possible Shipping Description(s):

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(hydroquinone) 9 III

IATA

Possible Shipping Description(s):

UN 3077 Environmentally hazardous substance, solid, n.o.s. (hydroquinone) 9 III

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture.:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada) Status: controlled

WHMIS (Canada) Hazard Classification: D/1/B, D/2/B

SARA 311-312 Hazard Classification(s):

immediate (acute) health hazard

delayed (chronic) health hazard

US EPCRA (SARA Title III) Section 313 - Toxic Chemical List

HYDROQUINONE

OSHA: hazardous

TSCA (US Toxic Substances Control Act): This product is listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): This product is listed on the DSL or otherwise complies with CEPA new substance notification requirements.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): This product is listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): This product is listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): This product is listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.

SECTION 16: Other information

HMIS® Hazard Ratings: Health - 2*, Flammability - 1, Chemical Reactivity - 0

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Revision Information: New SDS

Key literature references and sources for data: No data available.

Training information: No data available.

Issue Date: 05/16/2015

SDS No.:

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Sodium Carbonate Monohydrate

Safety Data Sheet in accordance with Regulation (EC) 1272/2008 and Regulation (EU) 453/2010



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name	Sodium carbonate monohydrate
Chemical Name	Sodium carbonate monohydrate
CAS Number	497-19-8
EC Number	207-838-8
Index Number	011-005-00-2
REACH Registration number	01-2119485498-19-0018

1.2 Relevant identified uses of the substance/mixture and uses advised against

Used as a water softener in laundry operations, as a household cleaner ingredient and as a general alkali.

1.2.1 Uses advised against

Do not mix with acids

1.3 Details of the supplier of the safety data sheet

Company Details: East Lancashire Chemical Co Limited, Edge Lane, Droylsden, Manchester, M43 6AU
Telephone: +44 (0) 161 3715585
Fax: +44 (0) 161 3011990
E-mail address: info@eastlancschemical.com

1.4 Emergency Telephone Number

Emergency Number 07836 697940

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008
Eye irritant 2

2.1.2 Classification according to EU Directive 67/548/EEC
Irritating to eyes

2.2 Label elements

2.2.1 Labelling according to Regulation (EC) 1272/2008
Hazard Pictogram

Signal Word: Warning



Hazard Statements

H319: Causes serious eye irritation

Precautionary Statements:

P102: Keep out of reach of children

P264: Wash hands thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313: If eye irritation persists: Get medical advice/attention

Sodium Carbonate Monohydrate



Safety Data Sheet in accordance with Regulation (EC) 1272/2008 and Regulation (EU) 453/2010

2.2.2 Labelling according to Directive 67/548/EEC
Symbol: X - irritant



Risk Phrases
R36: Irritating to eyes

Safety Phrases:
S2: Keep out of the reach of children
S22: Do not breathe dust
S24: Avoid contact with skin
S25: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

2.3 Other hazards

The substance does not meet the criteria for PBT or vPvB according to Annex XIII of the REACH Regulation EC 1907/2006 (an inorganic substance)
No other hazards identified.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1/2 Substance/Mixture

Main constituent	Formula	Purity %w/w (typical)	CAS Number	EC Number
Sodium carbonate monohydrate	$\text{Na}_2\text{CO}_3 \cdot \text{H}_2\text{O}$	80-85% Na_2CO_3	497-19-8	207-838-8
Total water:	15-20% w/w			
Impurities:	No impurities identified.			

4. FIRST AID MEASURES

4.1 Description of first aid measures

4.1.1 General advice	Take off all contaminated clothing. No known delayed effects.
Inhalation	Move to fresh air, keep warm and at rest. If symptoms persist seek medical advice.
Skin contact	Remove contaminated clothing. Wash the skin with plenty of water until no 'soapy' feeling remains. Obtain medical attention if symptoms, e.g. redness or irritation, develop.
Eye contact	Remove contact lenses if present. The eye should be thoroughly irrigated with clean water for not less than 15 minutes. Obtain medical attention if symptoms develop.
Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting. If patient feels unwell obtain medical attention.
Further Medical Treatment	Symptomatic treatment and supportive therapy as indicated.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: Irritation may occur.
Eye contact: Redness or irritation may occur.
Ingestion: May cause coughing..
Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing.

Sodium Carbonate Monohydrate



Safety Data Sheet in accordance with Regulation (EC) 1272/2008 and Regulation (EU) 453/2010

- 4.3 Indication of any immediate medical attention and special treatment needed**
Treat symptomatically.

5. FIRE FIGHTING MEASURES

- 5.1 Extinguishing media**
Non-combustible although packaging may burn.
- 5.1.1 Suitable extinguishing media
Use extinguisher suitable for surrounding fire conditions.
- 5.1.2 Unsuitable extinguishing media
No further information available.
- 5.2 Special hazards arising from the substance or mixture**
None identified.
- 5.3 Advice for fire fighters**
No special precautions required.

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures**
- 6.1.1 For non emergency personnel
Keep dust levels to a minimum.
- 6.1.2 For emergency responders
In the event of accidental release of bulk solid wear suitable gloves and eye/face protection.
Use vacuum suction or shovel into containers for re-use or disposal according to local legislation. The affected area can be cleaned with plenty of water.
- 6.2 Environmental precautions**
Prevent uncontrolled discharges into the environment.
- 6.3 Methods and material for containment and cleaning up**
Refer to 6.1 above
- 6.4 Reference to other sections**
For personal protection see Section 8.

7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling**
Always follow good personal hygiene when working with this product. Wash promptly with soap and water if skin becomes contaminated. Do not breathe dust. Avoid contact with skin and eyes. Keep dust levels to a minimum. Ensure adequate ventilation.
- 7.2 Conditions for safe storage, including any incompatibles**
Store in a cool well-ventilated place in the original closed containers. Avoid contact with acids and finely divided aluminium, zinc, tin and their alloys. The product will melt at 32/33° C.
In open containers, the product may lose water of crystallisation.
Keep out of the reach of children.
- 7.3 Specific end use(s)**
Refer to label on container.

Sodium Carbonate Monohydrate



Safety Data Sheet in accordance with Regulation (EC) 1272/2008 and Regulation (EU) 453/2010

8. EXPOSURE CONTROLS /PERSONAL PROTECTION

8.1 Control parameters

Exposure limits (WEL) 10mg/m³ total dust; 5mg/m³ respirable dust.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate general ventilation. Provide appropriate exhaust ventilation at places where dust is formed. Apply technical measures to comply with the occupational exposure limits.

8.2.2 Personal protective equipment

Respiratory protection In the case of high dust levels wear suitable respiratory protective equipment e.g. dust mask or respirator, that conform international standard, EN143. Recommended filter type P2..

Eye protection Wear eye/face protection rated to protect eyes against dust (EN166) e.g. safety eye shields with dust protection, goggles or face visor.

Skin protection Dust impervious protective suit rubber or plastic boots where appropriate. Gloves are recommended for people with sensitive or damaged skin. Avoid prolonged contact with skin. Rinse hands after use.

Industrial Hygiene Normal standards of industrial hygiene should be observed.

Disposal Empty container thoroughly before disposal, Rinse empty container with water and recycle where possible.

8.2.3 Environmental exposure controls

Contain any large spillage, avoid large discharges to the environment. Dispose of any large rinse water in accordance with local and national regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	fine white crystals
Odour	odourless
Odour threshold	currently not available
pH	>11 (saturated solution)
Melting point/Freezing Point	not applicable
Initial boiling point and boiling point range	not applicable
Flash point	not applicable
Evaporation rate	currently not available
Flammability (solid, gas)	does not ignite
Upper flammability or explosive limits	currently not available
Vapour pressure	currently not available
Vapour density	currently not available
Relative density (pouring density)	1.1g/ml approx.
Solubility(ies):	212.5 g/l @20 deg C(wrt anhydrous salt). Insoluble residue (up to 1%)
Partition coefficient: n-octanol/water	currently not available
Autoignition temperature	Does not burn
Decomposition temperature	loses w of c at 100 deg C
Viscosity	not applicable
Explosive properties	not explosive
Oxidising properties	not an oxidising product

Sodium Carbonate Monohydrate



Safety Data Sheet in accordance with Regulation (EC) 1272/2008 and Regulation (EU) 453/2010

- 9.2 Other information**
No other information available.

10. STABILITY AND REACTIVITY

- 10.1 Reactivity** Reaction with strong acids causes evolution of carbon dioxide.
- 10.2 Chemical stability** Loses water of crystallisation on prolonged standing in air and when heated to 32° C.
- 10.3 Possibility of hazardous reactions** Liberates carbon dioxide when mixed with acid. Solutions may react with new surfaces of aluminium and zinc and their alloys to produce hydrogen.
- 10.4 Conditions to avoid** Strong heat causing the product to melt and then dry out.
- 10.5 Incompatible materials** Acids, aluminium and zinc.
- 10.6 Hazardous decomposition products** None.

11. TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects**
No specific information available.
- | | |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation | High concentrations of dust will irritate the respiratory system. |
| Skin contact | May cause skin irritation resulting from removal of natural greases. |
| Eye contact | Irritating to the eyes. May cause corneal damage in severe circumstances. |
| Ingestion | May result in a burning sensation in the mouth and throat, inability to swallow, and irritation of the gastro-intestinal tract with nausea and vomiting. |

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity**
No specific information available.
- 12.2 Persistence and degradability**
Not applicable.
- 12.3 Bioaccumulative potential**
No bioaccumulation expected.
- 12.4 Mobility in soil**
Readily absorbed into soil.
- 12.5 Results of PBT and vPvB assessment**
Not a PBT or a PvB substance.
- 12.6 Other adverse effects**
Based on bulk product.
High concentrations in receiving waters can cause long term adverse effects on the aquatic environment by raising pH. Low toxicity to fish.
No environmental hazard is likely provided the product is handled and disposed of with due care in accordance with normal household practice on following the instructions on the label.

Sodium Carbonate Monohydrate

Safety Data Sheet in accordance with Regulation (EC) 1272/2008 and Regulation (EU) 453/2010



13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal should be in accordance with local, county or national legislation. Small quantities may be washed away using plenty of water. Dispose of contents by using as per directions for use. Rinse empty container and recycle where possible.

14. TRANSPORT INFORMATION

In its normal packaging this product is not classified as hazardous for transport.

15 REGULATORY INFORMATION

15.1 Safety, health and and environmental regulations/legislation specific for the substance or mixture

Health, safety and environmental details to be shown on label. Ref. Regulation (EC) 1272/2008 and EU Directive 67/548/EEC.
Refer to Section 2.

15.2 Chemical safety assessment

A Chemical safety assessment has been undertaken on sodium carbonate by our supplier.

16. OTHER INFORMATION

List of relevant R-phrases and symbols not included in Sections 2 and 3

No further statements included.

Abbreviations and acronyms

PBT Persistent, Bioaccumulative, Toxic

vPvB very Persistent, very Bioaccumulative

WEL Workplace exposure limit

The product information in this Data Sheet is, to the best of Dri-Pak's knowledge, correct as at the date of publication. No warranty is implied with respect to the quality or the specification of the product. The user must satisfy himself/herself that the product is suitable for his/her purpose.



MATERIAL SAFETY DATA SHEET

SODIUM THIOSULFATE

MSDS NUMBER: EUSA-180
CURRENT ISSUE DATE: October, 2010
Page 1 of 6

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAMES: Secohypo™ Anhydrous and Sodium Thiosulfate Pentahydrate

OTHER/GENERIC NAMES: Sodium Thiosulfate Anhydrous, Sodium Hyposulfite; "hypo"; Sodium Thiosulfate Crystal; Prismatic Rice

PRODUCT USE: Photo processing, water treatment, waste treatment, paper manufacture, other industrial processes.

SUPPLIER: Esseco USA LLC
Gatehall IV
4 Gatehall Drive
Parsippany, NJ 07054

FOR MORE INFORMATION CALL: 973-267-3330
(Monday-Friday, 9:00am-4:30pm)

FOR EMERGENCY IN USA, CALL CHEMTREC: 800-424-9300
(24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Odorless, clear to white crystals or granules which may irritate the skin and respiratory tract. May cause irritation and/or burns to the eyes. Reacts with acids to form toxic and irritating sulfur dioxide gas and/or hydrogen sulfide gas. Not flammable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT NAME</u>	<u>CAS NUMBER</u>	<u>WEIGHT %</u>
Sodium thiosulfate	7772-98-7	>98
Or Sodium thiosulfate pentahydrate	10102-17-7	>99

Trace impurities and additional material names not listed above may appear in Section 15 of this MSDS. These materials may be listed for local "Right-To-Know" compliance and for other reasons.

OSHA Hazard Communication Standard: *This product is considered hazardous under the OSHA Hazard Communication Standard.*

4. FIRST AID MEASURES

SKIN: Wash skin with plenty of soap and water. Get medical attention if irritation persists. Launder contaminated clothing before reuse.

EYES: Flush eyes immediately with water for at least 15 minutes. Remove contact lenses if present after the first 5 minutes if you can do so easily and continue flushing. Get immediate medical attention.

INHALATION: Promptly remove to fresh air. If breathing is difficult, give oxygen, provided a qualified operator is available. If symptoms persist, get medical attention.



MATERIAL SAFETY DATA SHEET

SODIUM THIOSULFATE

MSDS NUMBER: EUSA-180
CURRENT ISSUE DATE: October, 2010
Page 2 of 6

INGESTION: If conscious, immediately rinse with water and give 1 glass of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get immediate medical attention.

ADVICE TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:

Material is not flammable. Use extinguishing media appropriate for material in surrounding fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None.

SPECIAL FIRE FIGHTING PRECAUTIONS/INSTRUCTIONS:

Wear NIOSH-approved self-contained breathing apparatus to protect against any release of toxic and/or irritating fumes. Skin and eye protection should also be provided. Use water-spray to keep fire-exposed containers cool, and to knock down vapors and gases.

6. ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR OTHER RELEASE: (See section 8 for recommended personal protective equipment.)

Promptly shovel or sweep up material with minimum dusting and shovel into an empty container with a cover. Clean spill area with plenty of water.

Spills and releases may have to be reported to Federal and/or local authorities. See Section 15 regarding reporting requirements.

7. HANDLING AND STORAGE

NORMAL HANDLING: (See section 8 for recommended personal protective equipment.)

Avoid contact with skin, eyes and clothing. Do not breathe dust or mist. Use with adequate ventilation. Wash thoroughly after handling.

If dissolving and mixing solutions: with anhydrous material, the reaction is exothermic and the solution will retain heat; with the hydrate (crystal) material, the reaction is endothermic and the solution will cool.

STORAGE RECOMMENDATIONS:

Store in a cool, dry, well-ventilated area away from acids and oxidizing agents. Keep container closed when not in use and protect from physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Provide local exhaust if dusty or misty conditions exist or if there is a release of sulfur dioxide and/or hydrogen sulfide gas. Keep incompatible materials out of hoods, ducts, etc.



MATERIAL SAFETY DATA SHEET

SODIUM THIOSULFATE

MSDS NUMBER: EUSA-180
CURRENT ISSUE DATE: October, 2010
Page 3 of 6

PERSONAL PROTECTIVE EQUIPMENT

SKIN PROTECTION: For handling dry material, wear rubber gloves and full work clothing, including long-sleeved shirt and trousers. When handling solutions, wear impervious gloves and an apron. If contact with the solution is repeated and/or prolonged, wear full impervious clothing.

EYE PROTECTION: Wear chemical safety glasses/goggles.

RESPIRATORY PROTECTION: Where required, use a NIOSH-approved respirator for dust, mist, sulfur dioxide and/or hydrogen sulfide gas, as conditions indicate. If sulfur dioxide and/or hydrogen sulfide gas should be released, use a NIOSH-approved self-contained breathing apparatus or supplied-air respirator. Equipment selection depends on contaminant type and concentration. Select in accordance with 29 CFR 1910.134 and good industrial hygiene practice.

ADDITIONAL RECOMMENDATIONS: Eyewash and safety shower are recommended.

EXPOSURE GUIDELINES

<u>INGREDIENT NAME</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER LIMIT</u>
No ingredients listed in this section.	----	----	----

OTHER EXPOSURE LIMITS FOR POTENTIAL DECOMPOSITION PRODUCTS:

Sulfur dioxide: OSHA TWA = 5 ppm;
ACGIH STEL = 0.25 ppm.

Hydrogen sulfide: OSHA 10 minute peak during 8hr shift = 50 ppm
OSHA Ceiling = 20 ppm
ACGIH TWA = 1 ppm
ACGIH STEL = 5 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear to White granules or crystals.	
PHYSICAL STATE:	Solid.	
MOLECULAR WEIGHT:	158.11 (anhydrous) 248.18 (pentahydrate)	
CHEMICAL FORMULA:	Na ₂ S ₂ O ₃ (anhydrous)	
HYDRATED FORMULA:	Na ₂ S ₂ O ₃ · 5H ₂ O (pentahydrate)	
ODOR:	Odorless.	
SPECIFIC GRAVITY (water = 1.0):	1.667 (anhydrous) 1.685 (pentahydrate)	
SOLUBILITY IN WATER (weight %):	33 @ 0 °C (anhydrous) 52 @ 0 °C (pentahydrate)	
pH:	-8.6 (7.5% solution; anhydrous)	
BOILING POINT:	Not applicable.	
MELTING POINT:	48 °C (pentahydrate)	
VAPOR PRESSURE:	Not applicable.	
VAPOR DENSITY (air = 1.0):	Not applicable.	
EVAPORATION RATE:	Not applicable.	
% VOLATILES:	Not applicable.	
FLASH POINT:	Not flammable.	
FLASH POINT METHOD:	Not applicable	
	COMPARED TO:	Not applicable.



MATERIAL SAFETY DATA SHEET

SODIUM THIOSULFATE

MSDS NUMBER: EUSA-180
CURRENT ISSUE DATE: October, 2010
Page 4 of 6

AUTOIGNITION TEMPERATURE: Not applicable
UPPER FLAME LIMIT (volume % in air): Not applicable
LOWER FLAME LIMIT (volume % in air): Not applicable
FLAME PROPAGATION RATE (solids): Not applicable
OSHA FLAMMABILITY CLASS: Not applicable

10. STABILITY AND REACTIVITY

NORMALLY STABLE? (CONDITIONS TO AVOID):
Normally stable.

INCOMPATIBILITIES:
Strong oxidizers: causes vigorous exothermic reactions.
Acids: releases sulfur dioxide and/or hydrogen sulfide gas.

HAZARDOUS DECOMPOSITION PRODUCTS:
Sulfur dioxide gas, hydrogen sulfide gas and sodium sulfide residue.

HAZARDOUS POLYMERIZATION:
Will not occur.

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH HAZARDS

SKIN: Dust, solutions or mist may cause skin irritation from repeated or prolonged contact.

EYES: Dust, solutions or mist may irritate or burn the eyes and cause temporary conjunctivitis.

INHALATION: Inhalation of product dust or mist may irritate the respiratory tract. Contact with acids releases sulfur dioxide and/or hydrogen sulfide gas which may be harmful or deadly if inhaled.

INGESTION: Ingestion may cause irritation of the gastrointestinal tract and purging, if a large quantity is ingested. Relatively low in acute toxicity.

DELAYED EFFECTS: None known.

Ingredients found on one of the three OSHA designated carcinogen lists are listed below.

<u>INGREDIENT NAME</u>	<u>NTP STATUS</u>	<u>IARC STATUS</u>	<u>OSHA LIST</u>
No ingredients listed in this section.	----	----	----

TOXICITY DATA:

Immediate (Acute) Effects:
Data not available.

Delayed (Subchronic and chronic) Effects:
Data not available.



MATERIAL SAFETY DATA SHEET

SODIUM THIOSULFATE

MSDS NUMBER: EUSA-180
CURRENT ISSUE DATE: October, 2010
Page 5 of 6

Other Data:
None.

12. ECOLOGICAL INFORMATION

The following data is available for Sodium Thiosulfate anhydrous:

Daphnia Magna LC50 48 hrs	520 mg/L
Western Mosquitofish LC50 96 hrs	24,000 mg/L

Not classified as hazardous to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

RCRA

Is the unused product a RCRA hazardous waste if discarded? No If yes, the RCRA ID number is: Not applicable.

OTHER DISPOSAL CONSIDERATIONS:

Dispose of in accordance with applicable Federal, State and Local regulations.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

14. TRANSPORT INFORMATION

US DOT HAZARD CLASS: Not regulated.
US DOT ID NUMBER: Not applicable.
PROPER SHIPPING NAME: Not applicable.

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

15. REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT (TSCA)

TSCA INVENTORY STATUS: All components are listed on TSCA Inventory of Chemical Substances.
OTHER TSCA ISSUES: None.

SARA TITLE III/CERCLA

"Reportable Quantities" (RQs) and/or "Threshold Planning Quantities" (TPQs) exist for the following ingredients.

<u>INGREDIENT NAME</u>	<u>SARA/CERCLA RQ (lb)</u>	<u>SARA EHS TPQ (lb)</u>
No ingredients listed in this section.	----	----

Spills or releases resulting in the loss of any ingredient at or above its RQ requires immediate notification to the National Response Center [(800) 424-8802] and to your Local Emergency Planning Committee. Many states have more stringent regulations. Report all spills in accordance with local, state, and federal regulations.



MATERIAL SAFETY DATA SHEET

SODIUM THIOSULFATE

MSDS NUMBER: EUSA-180
CURRENT ISSUE DATE: October, 2010
Page 6 of 6

SECTION 311 HAZARD CLASS: Acute Health

SARA 313 TOXIC CHEMICALS:

The following ingredients are SARA 313 "Toxic Chemicals" and may be subject to annual reporting requirements. CAS numbers and weight percents are found in Section 2.

INGREDIENT NAME

No ingredients listed in this section.

COMMENT

STATE RIGHT-TO-KNOW

In addition to the ingredients found in Section 2, the following are listed for state right-to-know purposes.

INGREDIENT NAME

No ingredients listed in this section.

WEIGHT %

COMMENT

ADDITIONAL REGULATORY INFORMATION:

None

WHMIS CLASSIFICATION (CANADA):

D2B

FOREIGN CHEMICAL CONTROL INVENTORY STATUS:

Listed on Canadian DSL, Australian AICS, Phillipines PICCS, Chinese IECSC, Japanese MITI, Korean KECL, and EU EINECS.

16. OTHER INFORMATION

CURRENT ISSUE DATE: October, 2010
PREVIOUS ISSUE DATE: September, 2007

CHANGES TO MSDS FROM PREVIOUS ISSUE DATE ARE DUE TO THE FOLLOWING:

Updated section 8 - revised exposure limits.

OTHER INFORMATION: This product is not for food or drug use.

The information in this Material Safety Data Sheet is believed to be accurate and reliable as of the date issued. Esseco USA makes no warranties, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. Accordingly, Esseco USA will not be responsible for damages resulting from use of or reliance upon this information. The user is responsible for determining whether the Esseco USA product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application on an Esseco USA product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Esseco USA product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Potassium Bromide, Crystal Purified/Photo

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Potassium Bromide, Crystal Purified/Photo

Synonyms/Generic Names: Bromide salt of Potassium; Tripotassium tribromide

Product Number: 4195

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.
N4335 Temkin Rd.
Columbus, WI. 53925

For More Information Call: 920-623-2140 (Monday-Friday 8:00-4:30)

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Target Organ Effect, Irritant, Mutagen

Target Organs: Central nervous system, Eyes

Signal Word: Warning

Pictograms:



GHS Classification:

Acute toxicity, Oral	Category 5
Skin irritation	Category 2
Eye irritation	Category 2A
Specific target organ toxicity - single exposure	Category 3
Acute aquatic toxicity	Category 3

GHS Label Elements, including precautionary statements:

Hazard Statements:

H303	May be harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H402	Harmful to aquatic life.

Precautionary Statements:

P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Potential Health Effects

Eyes	Causes eye irritation.
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Ingestion	May be harmful if swallowed.

NFPA Ratings

Health	1
Flammability	0
Reactivity	0
Specific hazard	Not Available

HMIS Ratings

Health	1
Fire	0
Reactivity	0
Personal	E

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS □	EINECS□/ ELINCS□	Formula	Molecular Weight
Potassium Bromide	100	7758-02-3	231830-3	KBr	119.00 g/mol

4. FIRST-AID MEASURES

Eyes	In case of eye contact, rinse with plenty of water and seek medical attention.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash using soap. Get medical attention.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention.

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Product is not flammable. Use appropriate media for adjacent fire. Cool containers with water.
Special protective equipment and precautions for firefighters	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.
Specific hazards arising from the chemical	Emits toxic fumes (hydrogen bromide gas, potassium oxides) under fire conditions. (See also Stability and Reactivity section).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.
Methods and materials for containment and cleaning up	Prevent spillage from entering drains. Pick up and arrange disposal without creating dust. Sweep up and place in suitable, closed containers for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of dusts.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls: Contains no substances with occupational exposure limit values.

Personal Protection

Eyes	Wear chemical safety glasses or goggles.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear nitrile or rubber gloves, apron or lab coat.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	White crystalline solid.
Odor	Odorless.
Odor threshold	Not Available
pH	Not Available
Melting point/freezing point	730°C (1346°F)
Initial boiling point and boiling range	1435°C (2615°F)
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	Not Available

Vapor density	Not Available
Density	2.75 (Water = 1)
Solubility (ies)	Easily soluble in cold water, hot water. Slightly soluble in diethyl ether. Insoluble in acetate.
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Moisture.
Incompatible Materials	Strong oxidizing agents, strong acids, heavy metal salts, aluminum, potassium.
Hazardous Decomposition Products	Hydrogen bromide gas, potassium oxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Skin	Not Available
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 Oral - rat - 3,070 mg/kg

Carcinogenicity

IARC	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Signs □ Symptoms of Exposure

Skin	Irritation, redness, itchiness.
Eyes	Irritation, redness, watering eyes, itchiness, enlarge pupils with subnormal reaction to light, miosis, diplopia.
Respiratory	Irritation, coughing, wheezing.
Ingestion	Irritation, nausea, vomiting, diarrhea.

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	May affect genetic material.
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Not Available
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate	LC50 - Pimephales promelas (fathead minnow) - > 30 mg/l - 96 h
Aquatic Invertebrate	Not Available
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.
Product Containers	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	Not Dangerous Goods
TDG	Not Dangerous Goods
IMDG	Not Dangerous Goods
Marine Pollutant	No
IATA/ICAO	Not Dangerous Goods

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Potassium bromide
SARA 312	Potassium bromide
SARA 313	Not Listed
WHMIS Canada	CLASS D-2B: Material causing other toxic effects (TOXIC).

16. OTHER INFORMATION

Revision	Date
Revision 1	08-06-2012

Disclaimer: Columbus Chemical Industries, Inc. ("Columbus") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Columbus has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.



TCI AMERICA

SAFETY DATA SHEET

Revision number: 2.1
Revision date: 02/10/2016

1. IDENTIFICATION

Product name: Potassium Permanganate Solution (contains K₂CO₃, NaOH) [for TLC Stain]
Product code: P1483

Product use: For laboratory research purposes.
Restrictions on use: Not for drug or household use.

Company:
TCI America
9211 N. Harbortgate Street
Portland, OR 97203 U.S.A.
Telephone:
+1-800-423-8616 / +1-503-283-1681
Fax:
+1-888-520-1075 / +1-503-283-1987
e-mail:
sales-US@TCIchemicals.com
www.TCIchemicals.com

Emergency telephone number:
Chemical Emergencies:
TCI America (8:00am - 5:00pm) PST
+1-503-286-7624
Transportation Emergencies:
Chemtrec 24-Hour
+1-800-424-9300 (U.S.A.)
+1-703-527-3887 (International)
Responsible department:
TCI America
Environmental Health Safety and Security
+1- 503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Germ Cell Mutagenicity [Category 2]
Toxic to Reproduction [Category 2]
Aquatic Hazard (Acute) [Category 2]
Aquatic Hazard (Long-Term) [Category 2]

Signal word: Warning!

Hazard Statement(s): Suspected of causing genetic defects
Suspected of damaging fertility or the unborn child
Toxic to aquatic life
Toxic to aquatic life with long lasting effects

Pictogram(s) or Symbol(s):



Precautionary Statement(s):
[Prevention]

[Response]
[Storage]
[Disposal]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection.
If exposed: Call a poison center or doctor.
Store locked up.
Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture
Components: Potassium Permanganate Solution (contains K₂CO₃, NaOH) [for TLC Stain]
Percent:
Hazardous ingredient(s): Potassium Permanganate (1%) 7722-64-7
Potassium Carbonate (7%) 584-08-7
Sodium Hydroxide (0.08%) 1310-73-2
Water (92%) 7732-18-5
CAS Number: 7722-64-7

3. COMPOSITION/INFORMATION ON INGREDIENTS

Molecular Weight: 158.03
Chemical Formula: KMnO₄

4. FIRST-AID MEASURES

Inhalation: Call emergency medical service. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Skin contact: Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye contact: In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Ingestion: Effects of exposure (ingestion) to substance may be delayed. If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms/effects:

Acute: No data available
Delayed: May cause heritable genetic damage in humans.

Immediate medical attention:

CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, CO₂, water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.

Specific hazards arising from the chemical

Hazardous combustion products: These products include: Metallic oxides
Other specific hazards: Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Personal protective equipment: Splash goggles. Wear protective clothing (chemical resistant suit and chemical resistant boots). Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).

Emergency procedures: Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and exercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling:

Do NOT breathe gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Avoid contact - obtain special instructions before use. Avoid prolonged or repeated exposure. Avoid contact with skin and eyes. Normal measures for preventive fire protection. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.

Conditions for safe storage:

Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods.

Storage incompatibilities:

Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:

Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection:

Wear protective gloves.

Eye protection:

Splash goggles.

Skin and body protection:

Wear protective clothing (chemical resistant suit and chemical resistant boots).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):

Liquid

Form:

No data available

Color:

Deep purple

Odor:

No data available

Odor threshold:

No data available

Melting point/freezing point:

No data available

Boiling point/range:

No data available

Decomposition temperature:

No data available

Relative density:

No data available

Kinematic Viscosity:

No data available

Partition coefficient:

No data available

n-octanol/water (log P_{ow})

No data available

pH:

No data available

Vapor pressure:

No data available

Vapor density:

No data available

Dynamic Viscosity:

No data available

Evaporation rate:

No data available

(Butyl Acetate = 1)

Flash point:

No data available

Autoignition temperature:

No data available

Flammability (solid, gas):

No data available

Flammability or explosive limits:

Lower: No data available

Upper: No data available

Solubility(ies):

10. STABILITY AND REACTIVITY

Reactivity:

Not Available.

Chemical Stability:

Moisture sensitive.

Possibility of Hazardous Reactions:

No hazardous reactivity has been reported.

Conditions to avoid:

Avoid excessive heat and light.

Incompatible materials:

Oxidizing agents, Reducing agents

Hazardous Decomposition Products:

No data available

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:
No data available

Skin corrosion/irritation:
No data available

Serious eye damage/irritation:
No data available

Respiratory or skin sensitization:
No data available

Germ cell mutagenicity:
No data available

Carcinogenicity:
No data available

IARC: No data available

NTP: No data available

OSHA: No data available

Reproductive toxicity:
No data available

Routes of Exposure: Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

No specific information is available in our data base regarding the toxic effects of this material for humans. However, exposure to any chemical should be kept to a minimum. Always follow safe industrial hygiene practices and wear proper protective equipment when handling this compound.

Potential Health Effects:

No specific information available; skin and eye contact may result in irritation. May be harmful if inhaled or ingested.

Target organ(s): No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Fish: No data available
Crustacea: No data available
Algae: No data available

Persistence and degradability: No data available
Bioaccumulative potential (BCF): No data available
Mobility in soil: No data available
Partition coefficient: No data available
n-octanol/water (log P_{ow})
Soil adsorption (K_{oc}): No data available
Henry's Law: No data available
constant (PaM³/mol)

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US)

UN number:
UN3082

Proper Shipping Name:
Environmentally hazardous substance,
liquid, n.o.s.

Class or Division:
9 Miscellaneous hazardous
material

Packing Group:
III

IATA

14. TRANSPORT INFORMATION

UN number: UN3082	Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.	Class or Division: 9 Miscellaneous hazardous material	Packing Group: III
-----------------------------	----------------------------------------------------------------------------------------	--------------------------------------------------------------------	------------------------------

IMDG

UN number: UN3082	Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.	Class or Division: 9 Miscellaneous hazardous material	Packing Group: III
-----------------------------	----------------------------------------------------------------------------------------	--------------------------------------------------------------------	------------------------------

EmS number: F-A, S-F

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313:	Listed
SARA 302:	Not Listed

State Regulations

State Right-to-Know

Massachusetts	Listed
New Jersey	Not Listed
Pennsylvania	Listed
California Proposition 65:	Not Listed

Other Information

NFPA Rating:

Health:	1
Flammability:	0
Instability:	0

HMS Classification:

Health:	1
Flammability:	0
Physical:	0

International Inventories

WHMIS hazard class:	D2B: Materials causing other toxic effects. (Toxic)
Canada: DSL	On DSL
EC-No:	231-760-3

16. OTHER INFORMATION

Revision date: 02/10/2016

Revision number: 2.1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.



Fisher Scientific

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 14-May-2010

Revision Date 05-Feb-2016

Revision Number 2

1. Identification

Product Name Sodium bisulfite

Cat No. : S6543 □ S654500

Synonyms Sodium hydrogen sulfite

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company

Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300
CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 4
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	

Label Elements

Signal Word

Warning

Hazard Statements

Harmful if swallowed
May cause respiratory irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Storage

Store in a well-ventilated place. Keep container tightly closed
 Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Contact with acids liberates toxic gas

Other hazards

May produce an allergic reaction. May cause eye, skin, and respiratory tract irritation.

3. Composition / information on ingredients

Component	CAS-No	Weight %
Sodium bisulfite	7631-90-5	100

4. First-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.
Inhalation	Remove from exposure, lie down. Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Obtain medical attention.
Ingestion	Do not induce vomiting. Get medical attention.
Most important symptoms/effects	May cause allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available
Flash Point	No information available
Method -	No information available
Autoignition Temperature	No information available
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Sulfur oxides Sodium oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health
2

Flammability
0

Instability
2

Physical hazards
N/A

6. Accidental release measures**Personal Precautions**

Use personal protective equipment. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

Environmental Precautions

See Section 12 for additional ecological information.

Methods for Containment and Clean Up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

7. Handling and storage**Handling**

Avoid contact with skin and eyes. Do not breathe dust. Use only in area provided with appropriate exhaust ventilation. Handle under inert gas, protect from moisture. Wear personal protective equipment. Avoid dust formation.

Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from acids.

8. Exposure controls / personal protection**Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium bisulfite	TWA: 5 mg/m ³	(Vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Sodium bisulfite	TWA: 5 mg/m ³		TWA: 5 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Powder Solid
Appearance	White
Odor	rotten-egg like
Odor Threshold	No information available
pH	4-5 25% aq. sol
Melting Point/Range	150 °C / 302 °F
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	1.480
Solubility	300 g/l
Partition coefficient n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	H Na O3 S
Molecular Weight	104.06

10. Stability and reactivity

Reactive Hazard	Yes
Stability	Moisture sensitive. May react with air to form toxic gas.
Conditions to Avoid	Avoid dust formation. Excess heat. Exposure to air. Incompatible products. Exposure to moist air or water. Temperatures above 150°C. acids.
Incompatible Materials	Acids, Metals
Hazardous Decomposition Products	Sulfur oxides, Sodium oxides
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information**Acute Toxicity****Product Information****Component Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium bisulfite	LD50 = 1310 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation May cause eye, skin, and respiratory tract irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Sodium bisulfite	7631-90-5	Not listed	Not listed	Not listed	Not listed	Not listed

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed No information available

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium bisulfite	Not listed	LC50: = 240 mg/L, 96h static (Gambusia affinis)	Not listed	EC50: = 119 mg/L, 48h (Daphnia magna)

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Sodium bisulfite	X	X	-	231-548-0	-		X	X	X	X	X

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	Yes

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Sodium bisulfite	X	5000 lb	-	-

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration
Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sodium bisulfite	5000 lb	-

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium bisulfite	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2B Toxic materials
F Dangerously reactive material



16. Other information

Prepared By

Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date

14-May-2010

Revision Date

05-Feb-2016

Print Date

05-Feb-2016


Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



Health	2
Fire	0
Reactivity	0
Personal Protection	E

Material Safety Data Sheet

Sodium metabisulfite MSDS

Section 1: Chemical Product and Company Identification

Product Name: Sodium metabisulfite

Catalog Codes: SLS3025

CAS#: 7681-57-4

RTECS: VZ2000000

TSCA: TSCA 8(b) inventory: Sodium metabisulfite

CI#: Not available.

Synonym: Disodium disulfite; Disodium pyrosulfite; Sodium Pyrosulfite; Sodium Metabisulphite

Chemical Name: Pyrosulfurous acid, disodium salt

Chemical Formula: Na₂S₂O₅

Contact Information:

Sciencelab.com, Inc.

14025 Smith Rd.

Houston, Texas 77396

US Sales: **1-800-901-7247**

International Sales: **1-281-441-4400**

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:

1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Sodium metabisulfite	7681-57-4	100

Toxicological Data on Ingredients: Sodium metabisulfite: ORAL (LD50): Acute: 1131 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rat]. >1000 mg/kg [Guinea pig].

Section 3: Hazards Identification

Potential Acute Health Effects:

Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator), of eye contact (irritant).

Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer), of ingestion, of inhalation (lung irritant). CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC. MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to upper respiratory tract, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards:

When heated to decomposition it emits toxic fumes of SO_x, Na₂O. Decomposes on heating to form sodium sulfate

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:

Keep locked up.. Do not ingest. Do not breathe dust. Avoid contact with skin. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. Moisture sensitive. Air Sensitive

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection: Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 5 (mg/m³) [United Kingdom (UK)] TWA: 5 (mg/m³) from ACGIH (TLV) [United States] TWA: 5 (mg/m³) from NIOSH [United States] Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Solid. (Crystals solid or Powdered solid.)

Odor: odor of sulfur dioxide

Taste: Not available.

Molecular Weight: 190.13 g/mole

Color: White to yellowish.

pH (1% soln/water): 4.3 [Acidic.]

Boiling Point: Not available.

Melting Point: Decomposition temperature: 150°C (302°F)

Critical Temperature: Not available.

Specific Gravity: 1.4 (Water = 1)

Vapor Pressure: Not applicable.

Vapor Density: Not available.

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water.

Solubility:

Easily soluble in cold water, hot water. Freely soluble in glycerol. Slightly soluble in alcohol. Moderately soluble in ethanol.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials, heat, moisture, air, dust generation.

Incompatibility with various substances: Reactive with oxidizing agents, acids.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity:

Moisture sensitive Air sensitive. It slowly oxidizes to sodium sulfate upon exposure to air and moisture. Incompatible with sodium nitrite

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals:

Acute oral toxicity (LD50): 1131 mg/kg [Rat]. Acute dermal toxicity (LD50): >1000 mg/kg [Guinea pig].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC. MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. May cause damage to the following organs: upper respiratory tract, skin, eyes.

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans:

May affect genetic material (mutagenic) based on animal test data. May cause adverse reproductive effects based on animal test data.

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: May cause skin irritation. Eyes: May cause eye irritation. Inhalation: May cause respiratory tract irritation with coughing and wheezing. Ingestion: May be harmful if swallowed. May cause gastrointestinal tract irritation with abdominal pain, nausea, vomiting, diarrhea, violent colic, and possible gastric hemorrhaging. May affect behavior/central nervous system and cause central nervous system depression/seizures. It may also affect the cardiovascular system (hypotension, tachycardia, cardiovascular collapse), Ingestion of sulfite compounds may cause a severe allergic reaction (anaphylactoid symptoms) in sensitive individuals and some asthmatics. Chronic Potential Health Effects: Skin: Prolonged or repeated skin contact may cause allergic dermatitis. Ingestion: Prolonged or repeated ingestion may affect the liver, urinary system, and metabolism (weight loss). Future exposures may also cause asthma like allergy with coughing, shortness of breath, wheezing and/or chest tightness. Inhalation: Prolonged or repeated inhalation may irritate the lungs, may cause bronchitis to develop with cough, phlegm and/or shortness of breath.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations:

Connecticut hazardous material survey.: Sodium metabisulfite Illinois toxic substances disclosure to employee act: Sodium metabisulfite Rhode Island RTK hazardous substances: Sodium metabisulfite Pennsylvania RTK: Sodium metabisulfite Minnesota: Sodium metabisulfite Massachusetts RTK: Sodium metabisulfite New Jersey: Sodium metabisulfite California Director's List of Hazardous Substances: Sodium metabisulfite TSCA 8(b) inventory: Sodium metabisulfite TSCA 4(a) ITC priority list: Sodium metabisulfite TSCA 8(a) PAIR: Sodium metabisulfite TSCA 8(d) H and S data reporting: Sodium metabisulfite: effective: 1/26/94; sunset: 6/30/98

Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC):

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 0

Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Safety glasses.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/11/2005 12:35 PM

Last Updated: 05/21/2013 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.